


Accepted Manuscript

Boosting Hankel Matrices for Face Emotion Recognition and Pain Detection

Liliana Lo Presti, Marco La Cascia

PII: S1077-3142(16)30162-X
DOI: [10.1016/j.cviu.2016.10.007](https://doi.org/10.1016/j.cviu.2016.10.007)
Reference: YCVIU 2495



To appear in: *Computer Vision and Image Understanding*

Received date: 8 October 2015
Revised date: 11 October 2016
Accepted date: 19 October 2016

Please cite this article as: Liliana Lo Presti, Marco La Cascia, Boosting Hankel Matrices for Face Emotion Recognition and Pain Detection, *Computer Vision and Image Understanding* (2016), doi: [10.1016/j.cviu.2016.10.007](https://doi.org/10.1016/j.cviu.2016.10.007)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Dynamics of face expression descriptors are modeled for emotion recognition
- A set of Hankel matrices is built upon several multi-scale face representations
- Boosting and random subspace projection are used for dynamics selection
- Dynamics of Haar-like features and Gabor Energies are compared
- Fine-grained dynamics of subtle expressions can be modeled at small spatial scales

Download English Version:

<https://daneshyari.com/en/article/4968848>

Download Persian Version:

<https://daneshyari.com/article/4968848>

[Daneshyari.com](https://daneshyari.com)