



Contents lists available at ScienceDirect

Image and Vision Computing

journal homepage: www.elsevier.com/locate/imavis

Position paper

Signature analysis in the context of mobile devices☆

Raul Sanchez-Reillo

University Group for Identification Technologies, Carlos III University of Madrid, Avda. Universidad, 30, Leganes, Madrid E-28911, Spain

ARTICLE INFO

Article history:

Received 31 January 2016

Accepted 29 March 2016

Available online xxxx

Keywords:

Handwritten signature

Biometrics

Static signature recognition

Dynamic signature recognition

Forgeries

User confidence

ABSTRACT

Handwritten signature is one of the oldest means of the human being to both authenticate him/herself and state that a certain document has been understood and accepted. In the modern world, this biometric modality was translated to the use of peripheral pads that allow the signature to be performed by the user. However, in the recent years, the proliferation of mobile devices with touch screens has paved the path to deploy this biometric modality beyond the limits of a desktop. Bringing this biometric modality to mobile devices open several challenges, being some of them already covered, but some others needing further study. This paper provides an overview of these challenges and point to future research works that can help to the continuous deployment of this biometric modality.

© 2016 Elsevier B.V. All rights reserved.

1. Introduction

From the so-called behavioural modalities in biometrics, handwritten signature is gaining much attention recently. One of the reasons for such interest is the deployment of devices that, intrinsically, can capture handwritten data, such as touch screens. However, such proliferation of the technology may not necessarily mean an improvement in the performance, although it is, for sure, a magnificent opportunity to popularize this biometric modality. Laptop computers, tablets, and smartphones are currently in the hands of any kind of user. Furthermore, companies have seen in this new technologies the opportunity to avoid paper handling in actions such as credit card payments or parcel delivery, saving huge amount of money in expenses. However, some clarity shall be provided as well as focus on further research to be done in order to improve the current state of the art.

The first thing to clarify is that under the term of handwritten signature biometrics, there are two different modalities involved [1]: (a) static signature (also called off-line signature), which is simply based on the graph generated after signing, such as the information obtained when scanning a page with a signature already written, and (b) dynamic signature (also called on-line signature), which is based on the set of temporal signals generated while the signature is being written, such as horizontal and vertical movements, pressure, etc. Each of these modalities has its own characteristics and challenges. Static signature is currently the most deployed one (used in card payments and couriers), not really used as a biometric modality but only as a means to save on

paper handling (i.e., no comparison is made when the signature is performed as the only interest is to store the graph with the acceptance document). Several studies have demonstrated that, when used as a biometric modality, static signature presents low performance and little robustness against fraud, unless taken under the analysis of a human expert. Dynamic signature has shown to be a much better solution for automatic verification, including larger robustness against forgeries when being used by a machine [2].

Most of the studies that have given such conclusions were working with desktop devices specialized in digitalizing the act of signing. However, bringing the technology to the use of current mobile devices takes further considerations to be studied, in particular related with user interaction and technology dependence. Therefore, this paper will place these two biometric modalities in the context of mobile devices, analyzing the recent advances and studying the challenges to be faced. Thus, the following section gives an overview of the main challenges that biometric systems (in general) have to face when being migrated to this new world. Then Section 3 will focus on the challenges that handwritten signature biometrics is facing, to end with a set of conclusions in Section 4.

2. Main challenges when merging biometrics and mobile devices

Migrating biometrics to mobile devices is not a straightforward process. There are several constraints that can drive the biometric solution to fail or, at least, to underperform. This is a common problem to all biometric modalities, although the impact may differ from one to another. This section covers briefly the most important challenges.

☆ This paper has been recommended for acceptance by Sinisa Todorovic, PhD.
E-mail address: rsreillo@ing.uc3m.es.




Fig. 1. Several ways the user can interact with the mobile device when performing a biometric authentication.

2.1. Computational power

Obviously, the computational power of a mobile device is much lower than that of a mainframe, a server, or even a desktop computer, but this constraint may not be relevant depending on the situation. For most algorithms, the computational power of current 32-bit processors and available memory is enough for a real-time execution. In particular, most applications of biometrics in mobile devices are implemented to perform 1:1 comparisons or in the worst case 1:few. Therefore, the comparison process should not be compromised. The only step in the process where the computation power may be a problem is in those cases where the enrolment is based on intensive training, although the biometric system may consider executing the enrolment outside of the mobile device.

2.2. Data protection and privacy

Biometrics is based on personal data, which should be protected against copy or robbery. In contrast to the use of biometrics in servers or personal computers, handling personal data in mobile devices increases the risk of losing such data. Mobile devices may be lost, forgotten, or most probably used by others. Therefore, any implementation of biometrics in mobile devices should include those mechanisms that may guarantee the privacy of the citizen [3].

2.3. Acquisition of biometric data

The most important technological constraint deals with the act of acquiring the biometric sample. There are two possibilities depending on the biometric modality. The first one is to use an external sensor connected to the mobile device through either a wire or a wireless. This case is quite inconvenient to the user as he/she will have to carry an additional device, and in order to minimize this, the sensor should be small and operated with a single hand, which minimizes the capture capabilities.

The other possibility is to use a component intrinsic to the mobile device (e.g., the touch screen), which provides better ergonomics and convenience for the user as well as higher marketing options, as user investment is not needed for using the biometric solution, at least in hardware devices. The drawback is that such component was not designed for being a biometric sensor, and therefore its features may differ a lot from the ones required by traditional biometric systems. In other words, the biometric solution shall be adapted to the sensor, instead of having a sensor adapted to the biometric solution.

2.4. User interaction

The biggest challenge is dealing with the way the biometric solution is used. In contrast to traditional biometric systems, a mobile device can be used in any position, situation, and scenario (See Fig. 1.). The user can be standing, walking, sitting on a chair, or even lying on the bed. The solution can be used indoors or outdoors and with variable illumination

and humidity. This leads to a huge variety of interactions between the user and the biometric sensor. Therefore, the samples captured will differ much more than in traditional systems, compromising the false-negative rates (i.e., FNMR) and the failure to acquire (i.e., FTA).

3. Handwritten signature biometrics in mobile devices

When the above-mentioned constraints are applied to handwritten biometrics, a set of challenges can be specified in order to outline future research lines that will help in the correct massive deployment of the technology.

3.1. Impact due to user interaction

As handwritten signature is a behavioural modality, user interaction may distort the information acquired. There have been studies that have shown difference in performance depending on the capture device, although not as large as initially expected [4,5]. However, further studies shall be carried out to better determine the dependence between the interaction and the biometric sample. This is needed to try to discover a way to isolate the deviation on the biometric sample due to a specific interaction model from the original biometric reference.

In addition, although previous studies have analyzed different interaction, all those were only depending on the user, but not on the platform the user is located. For example, it is of interest to analyze the impact originated by those cases where the user is on a moving platform, such as a train.

Another open issue, in particular due to the fact that handwritten signature is a behavioural biometric modality, is to analyze the impact of the user mood when performing the signature. In this respect, there have been initial studies considering the stress of the user [6] or the user personality [7], but many more studies should follow.

3.2. The impact of technology

For simplicity, we use the term “mobile devices,” but such term brings a wide variety of technological features that may bring important impact to the migration of biometrics. Even simplifying the term by only considering smartphones and tablets still brings many parameters to consider, such as size, operating system, sensor technology, etc. In the case of using mobile phones for handwritten signature biometrics, the focus is placed on the touch screen, both in its size and in its technology (i.e., capacitive, resistive, dual, etc.).

Up to a limit, size is important, but mainly depending both on the user and on the size of the signature to write. Recent studies [8,9] have shown that when the screen is larger than 4.5, “users do not seem to worry much, neither performance is highly modified. If screen is large enough, e.g. larger than 10”, then the user typically demands placing the device on a surface (e.g., a table) to perform the signature. However, apart from these considerations, size may not be a deterministic factor.

What is much more important is the technology involved, as depending on it, the information captured may differ greatly. In general,

Download English Version:

<https://daneshyari.com/en/article/4969069>

Download Persian Version:

<https://daneshyari.com/article/4969069>

[Daneshyari.com](https://daneshyari.com)