Accepted Manuscript

Air Quality Data Clustering using EPLS Method

Yunliang Chen, Lizhe Wang, Fangyuan Li, Bo Du, Kim-Kwang Raymond Choo, Houcine Hassan, Wenjian Qin

 PII:
 S1566-2535(16)30196-8

 DOI:
 10.1016/j.inffus.2016.11.015

 Reference:
 INFFUS 826

To appear in: Information Fusion

Received date:16 September 2016Revised date:11 November 2016Accepted date:29 November 2016

Please cite this article as: Yunliang Chen, Lizhe Wang, Fangyuan Li, Bo Du, Kim-Kwang Raymond Choo, Houcine Hassan, Wenjian Qin, Air Quality Data Clustering using EPLS Method, *Information Fusion* (2016), doi: 10.1016/j.inffus.2016.11.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- An approach EPLS is proposed for air quality data fusion and clustering.
- EPLS preserves the most valuable features which are adaptive to other measures and clustering approaches.
- EPLS-based clustering algorithm can easily handle large-volumes of data.
- EPLS can be efficiently suitable for air quality clustering problem.

1

Download English Version:

https://daneshyari.com/en/article/4969131

Download Persian Version:

https://daneshyari.com/article/4969131

Daneshyari.com