


Accepted Manuscript

Dual Way Residue Noise Thresholding along With Feature Preservation

Bhawna Goyal , Ayush Dogra , Sunil Agrawal , B.S. Sohi

PII: S0167-8655(17)30066-1
DOI: [10.1016/j.patrec.2017.02.017](https://doi.org/10.1016/j.patrec.2017.02.017)
Reference: PATREC 6755



To appear in: *Pattern Recognition Letters*

Received date: 2 December 2016
Revised date: 23 February 2017
Accepted date: 27 February 2017

Please cite this article as: Bhawna Goyal , Ayush Dogra , Sunil Agrawal , B.S. Sohi , Dual Way Residue Noise Thresholding along With Feature Preservation, *Pattern Recognition Letters* (2017), doi: [10.1016/j.patrec.2017.02.017](https://doi.org/10.1016/j.patrec.2017.02.017)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A unique method for calculating residue noise has been given.
- The performance of Weighted bilateral filter on image denoising has been improvised
- PSNR values higher than state of art denoising techniques have been achieved.
- The concept of adding the residue calculated via two way denoising can lead to significant improvement in preservation of feature details.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/4970075>

Download Persian Version:

<https://daneshyari.com/article/4970075>

[Daneshyari.com](https://daneshyari.com)