

Accepted Manuscript

Matrix and Tensor Completion Algorithms for Background Model Initialization: A Comparative Evaluation

Andrews Sobral, El-hadi Zahzah

PII: S0167-8655(16)30374-9
DOI: [10.1016/j.patrec.2016.12.019](https://doi.org/10.1016/j.patrec.2016.12.019)
Reference: PATREC 6709



To appear in: *Pattern Recognition Letters*

Received date: 7 May 2016
Revised date: 14 December 2016
Accepted date: 23 December 2016

Please cite this article as: Andrews Sobral, El-hadi Zahzah, Matrix and Tensor Completion Algorithms for Background Model Initialization: A Comparative Evaluation, *Pattern Recognition Letters* (2016), doi: [10.1016/j.patrec.2016.12.019](https://doi.org/10.1016/j.patrec.2016.12.019)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Research Highlights (Required)

- We investigate the background model initialization as a reconstruction problem from missing data.
- Twenty-three state-of-the-art matrix-based and tensor-based algorithms were evaluated.
- A global discussion about the experimental evaluation through Scene Background Initialization (SBI) data set is presented.

Download English Version:

<https://daneshyari.com/en/article/4970113>

Download Persian Version:

<https://daneshyari.com/article/4970113>

[Daneshyari.com](https://daneshyari.com)