

Accepted Manuscript

Temporal weighted learning model for background estimation with an automatic re-initialization stage and adaptive parameters update

Graciela Ramirez-Alonso , Juan A. Ramirez-Quintana ,
Mario I. Chacon-Murguia

PII: S0167-8655(17)30012-0
DOI: [10.1016/j.patrec.2017.01.011](https://doi.org/10.1016/j.patrec.2017.01.011)
Reference: PATREC 6726



To appear in: *Pattern Recognition Letters*

Received date: 25 March 2016
Revised date: 6 January 2017
Accepted date: 14 January 2017

Please cite this article as: Graciela Ramirez-Alonso , Juan A. Ramirez-Quintana , Mario I. Chacon-Murguia , Temporal weighted learning model for background estimation with an automatic re-initialization stage and adaptive parameters update, *Pattern Recognition Letters* (2017), doi: [10.1016/j.patrec.2017.01.011](https://doi.org/10.1016/j.patrec.2017.01.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- BE-AAPSA is a self-adaptive method with an automatic re-initialization scheme.
- The learning rates for each pixel are independently adapted.
- BE-AAPSA does not require a priori knowledge about the GT to generate results.
- BE-AAPSA shows accurate results in videos that present changes of scene.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/4970114>

Download Persian Version:

<https://daneshyari.com/article/4970114>

[Daneshyari.com](https://daneshyari.com)