


Accepted Manuscript

Obtaining the Consensus of Multiple Correspondences between
Graphs through Online Learning

Carlos Francisco Moreno-García , Francesc Serratosa

PII: S0167-8655(16)30236-7
DOI: [10.1016/j.patrec.2016.09.003](https://doi.org/10.1016/j.patrec.2016.09.003)
Reference: PATREC 6637



To appear in: *Pattern Recognition Letters*

Received date: 27 October 2015
Accepted date: 2 September 2016

Please cite this article as: Carlos Francisco Moreno-García , Francesc Serratosa , Obtaining the Consensus of Multiple Correspondences between Graphs through Online Learning, *Pattern Recognition Letters* (2016), doi: [10.1016/j.patrec.2016.09.003](https://doi.org/10.1016/j.patrec.2016.09.003)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Several graph extractors and graph matching algorithms return different correspondences.
- A method to deduce a consensus correspondence given several graph correspondences.
- A learning method to deduce the quality of each involved graph extractor and graph matching algorithm.
- The learnt quality is considered as the weight in the consensus algorithm.
- Sub-optimal solution. Cubic computational cost with respect to the number of nodes.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/4970288>

Download Persian Version:

<https://daneshyari.com/article/4970288>

[Daneshyari.com](https://daneshyari.com)