Effects of laminar flow within a versatile microfluidic chip for in-situ electrode characterization and fuel cells

Yan Li, Willem Van Roy, Philippe M. Vereecken, Liesbet Lagae

PII: S0167-9317(17)30312-X
DOI: doi: 10.1016/j.mee.2017.07.005
Reference: MEE 10622

To appear in: *Microelectronic Engineering*

Received date: 16 April 2017
Revised date: 4 June 2017
Accepted date: 27 July 2017

Please cite this article as: Yan Li, Willem Van Roy, Philippe M. Vereecken, Liesbet Lagae , Effects of laminar flow within a versatile microfluidic chip for in-situ electrode characterization and fuel cells, *Microelectronic Engineering* (2017), doi: 10.1016/j.mee.2017.07.005

Effects of Laminar Flow within a Versatile Microfluidic Chip for In-situ Electrode Characterization and Fuel Cells

Yan Li[1,2], Willem Van Roy[1], Philippe M. Vereecken[1,3], Liesbet Lagae[1,2]

[1] imec, Kapeldreef 75, 3001 Leuven, Belgium

[2] KU Leuven-University of Leuven, Department of Physics and Astronomy, 3001 Leuven, Belgium

[3] KU Leuven-University of Leuven, Centre of Surface Chemistry and Catalysis, 3001 Leuven, Belgium