

Accepted Manuscript

On the Relevance of Auditory-Based Gabor Features for Deep Learning in Robust Speech Recognition

Angel Mario Castro Martinez, Harish MallidiSri, Bernd T. Meyer

PII: S0885-2308(16)30021-3
DOI: [10.1016/j.csl.2017.02.006](https://doi.org/10.1016/j.csl.2017.02.006)
Reference: YCSLA 831



To appear in: *Computer Speech & Language*

Received date: 4 February 2016
Revised date: 17 December 2016
Accepted date: 10 February 2017

Please cite this article as: Angel Mario Castro Martinez, Harish MallidiSri, Bernd T. Meyer, On the Relevance of Auditory-Based Gabor Features for Deep Learning in Robust Speech Recognition, *Computer Speech & Language* (2017), doi: [10.1016/j.csl.2017.02.006](https://doi.org/10.1016/j.csl.2017.02.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- DNN-based speech recognition greatly benefits from spectro-temporal Gabor features
- Gabor filters with high temporal modulation encode the most relevant information
- A measure of phoneme similarity is proposed to quantify class separability
- This metric is used to explain the improved results on phoneme level

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/4973663>

Download Persian Version:

<https://daneshyari.com/article/4973663>

[Daneshyari.com](https://daneshyari.com)