


Accepted Manuscript

Robust Adaptive Algorithms for Underwater Acoustic Channel Estimation and Their Performance Analysis

Dariush Kari, Iman Marivani, Farhan Khan, Muhammed Omer Sayin, Suleyman Serdar Kozat

PII: S1051-2004(17)30096-9
DOI: <http://dx.doi.org/10.1016/j.dsp.2017.05.006>
Reference: YDSPR 2116

To appear in: *Digital Signal Processing*



Please cite this article in press as: D. Kari et al., Robust Adaptive Algorithms for Underwater Acoustic Channel Estimation and Their Performance Analysis, *Digit. Signal Process.* (2017), <http://dx.doi.org/10.1016/j.dsp.2017.05.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Robust Adaptive Algorithms for Underwater Acoustic Channel Estimation and Their Performance Analysis

Dariush Kari^{a,*}, Iman Marivani^a, Farhan Khan^a, Muhammed Omer Sayin^b,
Suleyman Serdar Kozat^a

^a*Department of Electrical and Electronics Engineering, Bilkent University, Ankara, Turkey, 06800*

^b*Coordinated Science Laboratory, University of Illinois at Urbana-Champaign, Urbana, IL 61801 USA*

Abstract

We introduce a novel family of adaptive robust channel estimators for highly challenging underwater acoustic (UWA) channels. Since the underwater environment is highly non-stationary and subjected to impulsive noise, we use adaptive filtering techniques based on minimization of a logarithmic cost function, which results in a better trade-off between the convergence rate and the steady state performance of the algorithm. To improve the convergence performance of the conventional first and second order linear estimation methods while mitigating the stability issues related to impulsive noise, we intrinsically combine different norms of the error in the cost function using a logarithmic term. Hence, we achieve a comparable convergence rate to the faster algorithms, while significantly enhancing the stability against impulsive noise in such an adverse communication medium. Furthermore, we provide a thorough analysis for the tracking and steady-state performances of our proposed methods in the presence of impulsive noise. In our analysis, we not only consider the impulsive noise, but also take into account the frequency and phase offsets commonly experienced in real life experiments. We demonstrate the performance

*Corresponding author

Email addresses: kari@ee.bilkent.edu.tr (Dariush Kari), marivani@ee.bilkent.edu.tr (Iman Marivani), khan@ee.bilkent.edu.tr (Farhan Khan), sayin2@illinois.edu (Muhammed Omer Sayin), kozat@ee.bilkent.edu.tr (Suleyman Serdar Kozat)

Download English Version:

<https://daneshyari.com/en/article/4973916>

Download Persian Version:

<https://daneshyari.com/article/4973916>

[Daneshyari.com](https://daneshyari.com)