

Accepted Manuscript

A Semi-supervised Framework for Topology Preserving
Performance-driven Facial Animation

Jian Zhang, Na Li, Yun Liang

PII: S0165-1684(17)30319-5
DOI: [10.1016/j.sigpro.2017.09.002](https://doi.org/10.1016/j.sigpro.2017.09.002)
Reference: SIGPRO 6594

To appear in: *Signal Processing*

Received date: 11 March 2017
Revised date: 29 August 2017
Accepted date: 1 September 2017

Please cite this article as: Jian Zhang, Na Li, Yun Liang, A Semi-supervised Framework for Topology Preserving Performance-driven Facial Animation, *Signal Processing* (2017), doi: [10.1016/j.sigpro.2017.09.002](https://doi.org/10.1016/j.sigpro.2017.09.002)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- This framework does not need any key expressions for facial expression retargeting.
- We unify facial expression retargeting and face driving into same problem using manifold.
- The framework can be efficiently solved by a least square method.

Download English Version:

<https://daneshyari.com/en/article/4977426>

Download Persian Version:

<https://daneshyari.com/article/4977426>

[Daneshyari.com](https://daneshyari.com)