

Accepted Manuscript

Title: Risk-based underground pipeline safety management considering corrosion effect

Authors: Seolin Shin, Gunhak Lee, Usama Ahmed, Yongkyu Lee, Jonggeol Na, Chonghun Han



PII: S0304-3894(17)30621-0
DOI: <http://dx.doi.org/10.1016/j.jhazmat.2017.08.029>
Reference: HAZMAT 18794

To appear in: *Journal of Hazardous Materials*

Received date: 11-2-2017
Revised date: 31-7-2017
Accepted date: 12-8-2017

Please cite this article as: Seolin Shin, Gunhak Lee, Usama Ahmed, Yongkyu Lee, Jonggeol Na, Chonghun Han, Risk-based underground pipeline safety management considering corrosion effect, Journal of Hazardous Materials <http://dx.doi.org/10.1016/j.jhazmat.2017.08.029>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Risk-based underground pipeline safety management considering corrosion effect

Seolin Shin, Gunhak Lee, Usama Ahmed, Yongkyu Lee, Jonggeol Na,

Chonghun Han *

School of Chemical and Biological Engineering, Seoul National University,
Gwanak-ro 1, Gwanak-gu, Seoul 08826, South Korea

* To whom correspondence should be addressed.

Tel.: 82-2-880-1887, Fax: +82-2-873-2767

E-mail: chhan@snu.ac.kr

Highlights

- A risk-based underground pipeline safety management is devised.
- Corrosion is reflected in risk management quantitatively.
- Corrosion is predicted based on indirect assessment; DCVG and CIPS.
- Sensitivity analysis is conducted on variables, which affect the risk of underground pipeline.

Download English Version:

<https://daneshyari.com/en/article/4979084>

Download Persian Version:

<https://daneshyari.com/article/4979084>

[Daneshyari.com](https://daneshyari.com)