

Accepted Manuscript

Title: Ultrasound assisted formation of reduced graphene oxide-copper (II) oxide nanocomposite for energy storage applications

Author: Dipanwita Majumdar Nirmal Baugh Swapan Kumar Bhattacharya



PII: S0927-7757(16)30863-9
DOI: <http://dx.doi.org/doi:10.1016/j.colsurfa.2016.10.010>
Reference: COLSUA 21077

To appear in: *Colloids and Surfaces A: Physicochem. Eng. Aspects*

Received date: 29-4-2016
Revised date: 22-9-2016
Accepted date: 11-10-2016

Please cite this article as: Dipanwita Majumdar, Nirmal Baugh, Swapan Kumar Bhattacharya, Ultrasound assisted formation of reduced graphene oxide-copper (II) oxide nanocomposite for energy storage applications, *Colloids and Surfaces A: Physicochemical and Engineering Aspects* <http://dx.doi.org/10.1016/j.colsurfa.2016.10.010>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Ultrasound Assisted Formation of Reduced Graphene Oxide-Copper (II) Oxide Nanocomposite for Energy Storage Applications

¹Dipanjwita Majumdar*, ²Nirmal Baugh, ³Swapan Kumar Bhattacharya*


¹Department of Chemistry, Barasat Govt. College, Barasat, Kolkata-700124, India.

²Department of Physics, Barasat Govt. College, Barasat, Kolkata-700124, India.


³Department of Chemistry (Physical Chemistry Sec.), Jadavpur University, Jadavpur, Kolkata-700032, India.

Corresponding author's email address: wbesdmajumdar@gmail.com (D. Majumdar) and skbhatt7@yahoo.co.in (S K Bhattacharya):

Graphical Abstract



Schematic representation of plausible mechanism for ultrasound assisted formation of rGO-CuO composite.



Galvanostatic charging-discharging behavior of rGO-CuO nano-composite samples at a current density of 1 Ag^{-1} within the potential range of -0.3 V to $+0.8 \text{ V}$

Download English Version:

<https://daneshyari.com/en/article/4982522>

Download Persian Version:

<https://daneshyari.com/article/4982522>

[Daneshyari.com](https://daneshyari.com)