

## Accepted Manuscript

Title: Preparation of dual-stimuli-responsive liposomes using methacrylate-based copolymers with pH and temperature sensitivities for precisely controlled release

Authors: Takumi Sugimoto, Naoko Yamazaki, Takaaki Hayashi, Eiji Yuba, Atsushi Harada, Aki Kotaka, Chiharu Shinde, Takayuki Kumei, Yasushi Sumida, Mitsuhiro Fukushima, Yuki Munekata, Keiichi Maruyama, Kenji Kono



PII: S0927-7765(17)30229-1  
DOI: <http://dx.doi.org/doi:10.1016/j.colsurfb.2017.04.043>  
Reference: COLSUB 8511

To appear in: *Colloids and Surfaces B: Biointerfaces*

Received date: 17-12-2016  
Revised date: 12-4-2017  
Accepted date: 19-4-2017

Please cite this article as: Takumi Sugimoto, Naoko Yamazaki, Takaaki Hayashi, Eiji Yuba, Atsushi Harada, Aki Kotaka, Chiharu Shinde, Takayuki Kumei, Yasushi Sumida, Mitsuhiro Fukushima, Yuki Munekata, Keiichi Maruyama, Kenji Kono, Preparation of dual-stimuli-responsive liposomes using methacrylate-based copolymers with pH and temperature sensitivities for precisely controlled release, *Colloids and Surfaces B: Biointerfaces* <http://dx.doi.org/10.1016/j.colsurfb.2017.04.043>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Preparation of dual-stimuli-responsive liposomes using methacrylate-based copolymers with pH and temperature sensitivities for precisely controlled release**

Takumi Sugimoto<sup>1</sup>, Naoko Yamazaki<sup>1,2</sup>, Takaaki Hayashi<sup>1</sup>, Eiji Yuba<sup>1,\*</sup>, Atsushi Harada<sup>1</sup>, Aki Kotaka<sup>2</sup>, Chiharu Shinde<sup>2</sup>, Takayuki Kumei<sup>2</sup>, Yasushi Sumida<sup>2</sup>, Mitsuhiro Fukushima<sup>3</sup>, Yuki Munekata<sup>3</sup>, Keiichi Maruyama<sup>3</sup>, and Kenji Kono<sup>1</sup>

<sup>1</sup>Department of Applied Chemistry, Graduate School of Engineering, Osaka Prefecture University, 1-1 Gakuen-cho, Naka-ku, Sakai, Osaka 599-8531, Japan;

<sup>2</sup>Research Institute, Fancel Corporation, 12-13 Kamishinano, Totsuka-ku, Yokohama, Kanagawa, 244-0806, Japan;

<sup>3</sup>Oleo & Speciality Chemicals Research Laboratory, NOF Corporation, Amagasaki, Hyogo 660-0095, Japan

**\*Corresponding author: Eiji Yuba**

Department of Applied Chemistry, Graduate School of Engineering,

Osaka Prefecture University, 1-1 Gakuen-cho, Naka-ku, Sakai, Osaka 599-8531, Japan

Download English Version:

<https://daneshyari.com/en/article/4983123>

Download Persian Version:

<https://daneshyari.com/article/4983123>

[Daneshyari.com](https://daneshyari.com)