

Accepted Manuscript

Tunable photoluminescence of MoS₂ quantum dots passivated by different functional groups

Xingqun Zhu, Junxiang Xiang, Jing Li, Chao Feng, Ping Liu, Bin Xiang

PII: S0021-9797(17)31156-6
DOI: <https://doi.org/10.1016/j.jcis.2017.09.118>
Reference: YJCIS 22870

To appear in: *Journal of Colloid and Interface Science*

Received Date: 1 August 2017
Revised Date: 6 September 2017
Accepted Date: 30 September 2017



Please cite this article as: X. Zhu, J. Xiang, J. Li, C. Feng, P. Liu, B. Xiang, Tunable photoluminescence of MoS₂ quantum dots passivated by different functional groups, *Journal of Colloid and Interface Science* (2017), doi: <https://doi.org/10.1016/j.jcis.2017.09.118>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Tunable photoluminescence of MoS₂ quantum dots passivated by different functional groups

Xingqun Zhu,¹ Junxiang Xiang,¹ Jing Li,¹ Chao Feng,¹ Ping Liu,¹ Bin Xiang*^{1,2}

¹Department of Materials Science & Engineering, CAS Key Lab of Materials for Energy Conversion, Synergetic Innovation Center of Quantum Information Quantum Physics, University of Science and Technology of China, Hefei, Anhui 230026, China.

²Photonic Technology R&D Center, Quanzhou Normal University, No 398, Donghai Main Street, Quanzhou, Fujian 362000, China.

*Corresponding authors: binxiang@ustc.edu.cn

Download English Version:

<https://daneshyari.com/en/article/4984118>

Download Persian Version:

<https://daneshyari.com/article/4984118>

[Daneshyari.com](https://daneshyari.com)