Accepted Manuscript



Regular Article

Effect of calcination temperature of a copper ferrite synthesized by a sol-gel method on its structural characteristics and performance as Fenton catalyst to remove gallic acid from water

María V. López-Ramón, Miguel A. Álvarez, Carlos Moreno-Castilla, María A. Fontecha-Cámara, África Yebra-Rodríguez, Esther Bailón-García

PII: S0021-9797(17)31154-2
DOI: https://doi.org/10.1016/j.jcis.2017.09.117
Reference: YJCIS 22869

To appear in: *Journal of Colloid and Interface Science*

Received Date: 30 July 2017
Revised Date: 25 September 2017
Accepted Date: 30 September 2017

Please cite this article as: M.V. López-Ramón, M.A. Álvarez, C. Moreno-Castilla, M.A. Fontecha-Cámara, A. Yebra-Rodríguez, E. Bailón-García, Effect of calcination temperature of a copper ferrite synthesized by a sol-gel method on its structural characteristics and performance as Fenton catalyst to remove gallic acid from water, *Journal of Colloid and Interface Science* (2017), doi: https://doi.org/10.1016/j.jcis.2017.09.117

Effect of calcination temperature of a copper ferrite synthesized by a sol-gel method on its structural characteristics and performance as Fenton catalyst to remove gallic acid from water

María V. López-Ramón[a,*], Miguel A. Álvarez[a], Carlos Moreno-Castilla[b,*], María A. Fontecha-Cámara[a], África Yebra-Rodríguez[c], Esther Bailón-García[b]

[a] Departamento de Química Inorgánica y Orgánica, Universidad de Jaén, 23071 Jaén, Spain.

[b] Departamento de Química Inorgánica, Universidad de Granada, 18071 Granada, Spain.

[c] Departamento de Geología, Universidad de Jaén, 23071 Jaén, Spain.

* Corresponding authors

cmoreno@ugr.es (Carlos Moreno-Castilla), Tel.: +34-958 243 323

mvlro@ujaen.es (María V. López-Ramón), Tel.: +34-953 212 747