

Accepted Manuscript

Transition Temperature of Poly(methyl methacrylate) Determined by Time-of-flight Secondary Ion Mass Spectrometry and Contact Angle Measurements

Yi Fu, Yiu-Ting R. Lau, Lu-Tao Weng, Kai-Mo Ng, Chi-Ming Chan

PII: S0021-9797(17)30656-2
DOI: <http://dx.doi.org/10.1016/j.jcis.2017.05.120>
Reference: YJCIS 22427

To appear in: *Journal of Colloid and Interface Science*

Received Date: 22 February 2017
Revised Date: 26 May 2017
Accepted Date: 31 May 2017

Please cite this article as: Y. Fu, Y.R. Lau, L-T. Weng, K-M. Ng, C-M. Chan, Transition Temperature of Poly(methyl methacrylate) Determined by Time-of-flight Secondary Ion Mass Spectrometry and Contact Angle Measurements, *Journal of Colloid and Interface Science* (2017), doi: <http://dx.doi.org/10.1016/j.jcis.2017.05.120>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Transition Temperature of Poly(methyl methacrylate) Determined by
Time-of-flight Secondary Ion Mass Spectrometry
and Contact Angle Measurements**

Yi Fu,¹ Yiu-Ting R. Lau,¹ Lu-Tao Weng,^{1,2} Kai-Mo Ng,^{1,3} and Chi-Ming Chan^{1,4*}

¹Department of Chemical and Biomolecular Engineering

²Materials Characterization and Preparation Facility

³Advanced Engineering Materials Facility

⁴Division of Environment

Hong Kong University of Science and Technology,

Clear Water Bay, Kowloon

Hong Kong

*Email: kecmchan@ust.hk (tel: +852-2358-7125)

Download English Version:

<https://daneshyari.com/en/article/4984746>

Download Persian Version:

<https://daneshyari.com/article/4984746>

[Daneshyari.com](https://daneshyari.com)