

Accepted Manuscript

Fluorescent silica nanoparticles with chemically reactive surface: Controlling spatial distribution in one-step synthesis

María L. Vera, Antonela Cánneva, Cristián Huck Iriart, Felix G. Requejo, Mónica C. Gonzalez, María L. Dell'Arciprete, Alejandra Calvo

PII: S0021-9797(17)30210-2
DOI: <http://dx.doi.org/10.1016/j.jcis.2017.02.040>
Reference: YJCIS 22067

To appear in: *Journal of Colloid and Interface Science*

Received Date: 12 December 2016
Revised Date: 14 February 2017
Accepted Date: 15 February 2017

Please cite this article as: M.L. Vera, A. Cánneva, C. Huck Iriart, F.G. Requejo, M.C. Gonzalez, M.L. Dell'Arciprete, A. Calvo, Fluorescent silica nanoparticles with chemically reactive surface: Controlling spatial distribution in one-step synthesis, *Journal of Colloid and Interface Science* (2017), doi: <http://dx.doi.org/10.1016/j.jcis.2017.02.040>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Fluorescent silica nanoparticles with chemically reactive surface:
Controlling spatial distribution in one-step synthesis**

María L. Vera^a, Antonela Cánneva^b, Cristián Huck Iriart^c, Felix G. Requejo^a, Mónica C. Gonzalez^a, María L. Dell'Arciprete^a and Alejandra Calvo^b

^a Instituto de Investigaciones Fisicoquímicas Teóricas y Aplicadas, Facultad de Ciencias Exactas (INIFTA), Universidad Nacional de La Plata, CONICET, Casilla de Correo 16, Sucursal 4, (1900) La Plata (Argentina) Fax: (+54)221-425-4642

^b YPF TECNOLOGÍA S. A. Av. Del Petroleo s/n – (Entre 129 y 143) Berisso – Buenos Aires (1925) Argentina

Tel: (+54) 0800 122 9832

^c Escuela de Ciencia y Tecnología, CONICET, Universidad Nacional de San Martín (UNSAM), Campus Miguelete, 25 de Mayo y Francia, 1650 San Martín, Provincia de Buenos Aires, Argentina.

* Corresponding authors: mlaura@inifta.unlp.edu.ar (Maria L. Dell'Arciprete), alejandra.calvo@ypftecnologia.com (Alejandra Calvo)

Mails:

mlauravera@inifta.unlp.edu.ar

antonela.canneva@ypftecnologia.com

chuck@unsam.edu.ar

requejo@fisica.unlp.edu.ar

gonzalez@inifta.unlp.edu.ar

mlaura@inifta.unlp.edu.ar

alejandra.calvo@ypftecnologia.com

Abstract

The encapsulation of fluorescent dyes inside silica nanoparticles is advantageous to improve their quality as probes. Inside the particle, the fluorophore is protected from the external conditions and its main emission parameters remains unchanged even in the presence of quenchers. On the other

Download English Version:

<https://daneshyari.com/en/article/4985070>

Download Persian Version:

<https://daneshyari.com/article/4985070>

[Daneshyari.com](https://daneshyari.com)