

Accepted Manuscript

Title: Simulation of Heat and Mass transfer with Cross-flow Hollow Fiber Vacuum Membrane Distillation: the Influence of Fiber Arrangement

Authors: Jun Liu, Qin Wang, Lei Han, Baoan Li


PII: S0263-8762(17)30015-1
DOI: <http://dx.doi.org/doi:10.1016/j.cherd.2017.01.013>
Reference: CHERD 2542

To appear in:

Received date: 1-6-2016
Revised date: 22-12-2016
Accepted date: 5-1-2017

Please cite this article as: Liu, Jun, Wang, Qin, Han, Lei, Li, Baoan, Simulation of Heat and Mass transfer with Cross-flow Hollow Fiber Vacuum Membrane Distillation: the Influence of Fiber Arrangement. Chemical Engineering Research and Design <http://dx.doi.org/10.1016/j.cherd.2017.01.013>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23

Simulation of Heat and Mass transfer with Cross-flow Hollow Fiber Vacuum Membrane Distillation: the Influence of Fiber Arrangement

Jun Liu^{a, b, c, d}, Qin Wang^{a, b, c, d}, Lei Han^{a, b, c, d}, Baoan Li^{* a, b, c, d}

- a. School of Chemical Engineering and Technology, Tianjin University, Tianjin, China, 300072;
- b. Collaborative Innovation Center of Chemical Science and Engineering (Tianjin), Tianjin, China, 300072;
- c. State Key Laboratory of Chemical Engineering (Tianjin University), Tianjin, China, 300072;
- d. Tianjin Key Laboratory of Membrane Science and Desalination Technology, Tianjin, China, 300072;

High lights

- The whole cross-flow MD configuration was simulated with 23 hollow fibers.
- Two factors of fiber arrangement, row space and intersection angle were considered.
- The effects of fiber arrangement on TPC, CPC and VPC were discussed and compared.

* Corresponding author. Tel.: +86 22 2740 7854. Fax: +86 22 2740 4496.
E-mail address: libaoan@tju.edu.cn (Baoan Li)

Download English Version:

<https://daneshyari.com/en/article/4987310>

Download Persian Version:

<https://daneshyari.com/article/4987310>

[Daneshyari.com](https://daneshyari.com)