

Interplay between structure and properties in acid-base blend PBI-based membranes for HT-PEM fuel cells

Guinevere A. Giffin, Samuele Galbiati, Mario Walter, Karin Aniol, Corina Ellwein, Jochen Kerres, Roswitha Zeis



PII: S0376-7388(16)32144-5
DOI: <http://dx.doi.org/10.1016/j.memsci.2017.04.019>
Reference: MEMSCI15183

To appear in: *Journal of Membrane Science*

Received date: 2 November 2016
Revised date: 7 April 2017
Accepted date: 10 April 2017

Cite this article as: Guinevere A. Giffin, Samuele Galbiati, Mario Walter, Karin Aniol, Corina Ellwein, Jochen Kerres and Roswitha Zeis, Interplay between structure and properties in acid-base blend PBI-based membranes for HT-PEM fuel cells, *Journal of Membrane Science*, <http://dx.doi.org/10.1016/j.memsci.2017.04.019>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Interplay between structure and properties in acid-base blend PBI-based membranes for HT-PEM fuel cells

Guinevere A. Giffin^{a,*1}, Samuele Galbiati^{a1}, Mario Walter^b, Karin Aniol^c, Corina Ellwein^c, Jochen Kerres^{c,e},
Roswitha Zeis^{a,d}

^aHelmholtz Institute Ulm (HIU), Karlsruhe Institute of Technology (KIT), Helmholtzstrasse 11, 89081 Ulm, Germany

^bKarlsruhe Institute of Technology (KIT), Institute of Applied Materials, Hermann-von Helmholtz-Platz 1, 76344 Eggenstein-Leopoldshafen

^cUniversity of Stuttgart, Institute of Chemical Process Engineering, Böblinger Strasse 78, 70199 Stuttgart, Germany

^dKarlsruhe Institute of Technology (KIT), Institute of Physical Chemistry, Fritz Haber Weg 2, 76131 Karlsruhe, Germany

^eNorth-West University, Potchefstroom Campus, Chemical Resource Beneficiation, Potchefstroom, South Africa

*Corresponding author: gwen.giffin@kit.edu

†

Abstract

This work is the follow-up to a previous study in which the same authors extensively documented the behaviour of acid-base polymer blend membranes doped with phosphoric acid during high temperature (160°C) fuel cell operation. The present study examines the same acid-base blend PBI-based materials to obtain a deeper understanding of the relationship between the chemical structure and the membrane

¹ These authors contributed equally to this work.

Download English Version:

<https://daneshyari.com/en/article/4988900>

Download Persian Version:

<https://daneshyari.com/article/4988900>

[Daneshyari.com](https://daneshyari.com)