Author's Accepted Manuscript

Hollow fiber membrane lumen modified by polyzwitterionic grafting

Ngoc Lieu Le, Mathias Quilitzsch, Hong Cheng, Pei-Ying Hong, Mathias Ulbricht, Suzana P. Nunes, Tai-Shung Chung



 PII:
 S0376-7388(16)31387-4

 DOI:
 http://dx.doi.org/10.1016/j.memsci.2016.08.038

 Reference:
 MEMSCI14688

To appear in: Journal of Membrane Science

Received date:2 May 2016Revised date:13 August 2016Accepted date:21 August 2016

Cite this article as: Ngoc Lieu Le, Mathias Quilitzsch, Hong Cheng, Pei-Yin Hong, Mathias Ulbricht, Suzana P. Nunes and Tai-Shung Chung, Hollow fiber membrane lumen modified by polyzwitterionic grafting, *Journal of Membran Science*, http://dx.doi.org/10.1016/j.memsci.2016.08.038

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

ACCEPTED MANUSCRIPT

Hollow fiber membrane lumen modified by polyzwitterionic grafting

Ngoc Lieu Le¹, Mathias Quilitzsch², Hong Cheng¹, Pei-Ying Hong¹, Mathias Ulbricht^{2*}, Suzana P. Nunes^{1*}, Tai-Shung Chung^{1,3*}

¹King Abdullah University of Science and Technology (KAUST), Biological and Environmental Science and Engineering Division (BESE), Thuwal, 23955-6900, Saudi Arabia

²Lehrstuhl für Technische Chemie II, Universität Duisburg-Essen, 45117 Essen, Germany

³Department of Chemical and Biomolecular Engineering, National University of Singapore,

⁴Engineering Drive 4, Singapore 117585, Singapore

mathias.ulbricht@uni-essen.de

suzana.nunes@kaust.edu.sa

chencts@nus.edu.sg

*Corresponding authors: Prof. Dr. Mathias Ulbricht, Tel.: +49 201 1833151

Prof. Suzana Nunes, Tel.: +966 544700052

Prof. Tai-Shung Chung, Tel.: +65 65166645

ABSTRACT

In this study, we demonstrate an effective way to modify the lumen of polyetherimide hollow fibers by grafting zwitterionic poly(sulfobetaine) to increase the membrane resistance to fouling. Surface-selective grafting of the protective hydrogel layers has been achieved in a facile two-step Download English Version:

https://daneshyari.com/en/article/4989349

Download Persian Version:

https://daneshyari.com/article/4989349

Daneshyari.com