

Accepted Manuscript

Self-sensitized photodegradation of benzisothiazolinone by low-pressure UV-C irradiation: Kinetics, mechanisms, and the effect of media

Ting Wang, Qian-Yuan Wu, Wen-Long Wang, Zhuo Chen, Bing-Tian Li, Ang Li, Zi-Ye Liu, Hong-Ying Hu

PII: S1383-5866(16)30848-6
DOI: <http://dx.doi.org/10.1016/j.seppur.2017.08.031>
Reference: SEPPUR 13973

To appear in: *Separation and Purification Technology*

Received Date: 27 June 2016
Revised Date: 14 June 2017
Accepted Date: 10 August 2017

Please cite this article as: T. Wang, Q-Y. Wu, W-L. Wang, Z. Chen, B-T. Li, A. Li, Z-Y. Liu, H-Y. Hu, Self-sensitized photodegradation of benzisothiazolinone by low-pressure UV-C irradiation: Kinetics, mechanisms, and the effect of media, *Separation and Purification Technology* (2017), doi: <http://dx.doi.org/10.1016/j.seppur.2017.08.031>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Self-sensitized photodegradation of benzisothiazolinone by low-pressure UV-C irradiation: Kinetics, mechanisms, and the effect of media

Ting Wang^{a,b}, Qian-Yuan Wu^{b*}, Wen-Long Wang^{a,b}, Zhuo Chen^b, Bing-Tian Li^{a,b},
Ang Li^{a,b}, Zi-Ye Liu^c, Hong-Ying Hu^{a,d*}

^a Environmental Simulation and Pollution Control State Key Joint Laboratory, and State Environmental Protection Key Laboratory of Microorganism Application and Risk Control (SMARC), School of Environment, Tsinghua University, Beijing 100084, PR China

^b Key Laboratory of Microorganism Application and Risk Control of Shenzhen, Graduate School at Shenzhen, Tsinghua University, Shenzhen 518055, PR China

^c Shenzhen Key Lab of Nano-Micro Material Research, School of Chemical Biology and Biotechnology, Shenzhen Graduate School of Peking University, Shenzhen, 518055, PR China

^d Shenzhen Environmental Science and New Energy Technology Engineering Laboratory, Tsinghua-Berkeley Shenzhen Institute, Shenzhen 518055, PR China

* Corresponding author. E-mail: hyhu@tsinghua.edu.cn,
wuqianyuan@tsinghua.edu.cn

Highlights

- UVC irradiation could degrade BIT efficiently.
- Both direct photodegradation and indirect photodegradation via •OH contributed to BIT degradation
- The photodegradation of BIT was a pH-dependent process.
- The photodegradation pathway of BIT was proposed

Download English Version:

<https://daneshyari.com/en/article/4989696>

Download Persian Version:

<https://daneshyari.com/article/4989696>

[Daneshyari.com](https://daneshyari.com)