

Accepted Manuscript

Thermodynamic and economic analysis of biomass partial gasification process

Xiaofeng Zhang, Hongqiang Li, Lifang Liu, Chengying Bai, Shuang Wang, Jing Zeng, Xiaobo Liu, Nianping Li, Guoqiang Zhang

PII: S1359-4311(17)35672-7
DOI: <https://doi.org/10.1016/j.applthermaleng.2017.10.069>
Reference: ATE 11267

To appear in: *Applied Thermal Engineering*

Received Date: 1 September 2017
Revised Date: 3 October 2017
Accepted Date: 9 October 2017

Please cite this article as: X. Zhang, H. Li, L. Liu, C. Bai, S. Wang, J. Zeng, X. Liu, N. Li, G. Zhang, Thermodynamic and economic analysis of biomass partial gasification process, *Applied Thermal Engineering* (2017), doi: <https://doi.org/10.1016/j.applthermaleng.2017.10.069>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Thermodynamic and economic analysis of biomass partial gasification process

Xiaofeng Zhang¹, Hongqiang Li^{1*}, Lifang Liu¹, Chengying Bai³, Shuang Wang¹, Jing Zeng^{1,2}, Xiaobo Liu^{1,2},

Nianping Li¹, Guoqiang Zhang^{1*}

1 College of Civil Engineering, National Center for International Research Collaboration in Building Safety and Environment, Hunan University, Changsha, Hunan 410082, China

2 College of Energy and Power Engineering, Changsha University of Science and Technology, Changsha, Hunan 410114, China

3 Department of Industrial Engineering, University of Padova, via Marzolo, 9, 35131, Padova, Italy

Highlights

A model of biomass partial gasification process is proposed.

The energy, exergy and economic analysis of the proposed gasification process are carried out.

The effects of key operating parameters on gasification process are investigated.

The product of exergy destruction and time (PEDT) increases exponentially after the carbon conversion ratio exceeding 0.7.

*Corresponding authors. Tel.: +86 731 88821040; fax: +86 731 88821004.

E-mail addresses: lhq@hnu.edu.cn (H. Li), gqzhang@hnu.edu.cn (G. Zhang).

Download English Version:

<https://daneshyari.com/en/article/4990348>

Download Persian Version:

<https://daneshyari.com/article/4990348>

[Daneshyari.com](https://daneshyari.com)