

Research Paper

Vertical Temperature Profile of Fire-induced Facade Thermal Plume Ejected from a Fire Compartment Window with Two Adjacent Side Walls

K.H. Lu, J. Wang, L.H. Hu

PII: S1359-4311(16)32997-0
DOI: http://dx.doi.org/10.1016/j.applthermaleng.2016.11.018
Reference: ATE 9428

To appear in: *Applied Thermal Engineering*

Received Date: 7 July 2016
Revised Date: 1 November 2016
Accepted Date: 2 November 2016

Please cite this article as: K.H. Lu, J. Wang, L.H. Hu, Vertical Temperature Profile of Fire-induced Facade Thermal Plume Ejected from a Fire Compartment Window with Two Adjacent Side Walls, *Applied Thermal Engineering* (2016), doi: http://dx.doi.org/10.1016/j.applthermaleng.2016.11.018

Vertical Temperature Profile of Fire-induced Facade Thermal Plume Ejected from a Fire Compartment Window with Two Adjacent Side Walls

K.H. Lu[a*], J.Wang[b], L.H. Hu[c]*

[a] Faculty of Engineering

China University of Geoscience (Wuhan),

Wuhan, Hubei, 430074, China

[b] School of Resource and Environmental Engineering

Wuhan University of Science and Technology,

Wuhan, Hubei, 430081, China

[c] State Key Laboratory of Fire Science,

University of Science and Technology of China, Hefei, Anhui, 230026, China

*Corresponding author

Tel: (86) 27 67883124;

Email address: lukh@cug.edu.cn

Postal address: Faculty of Engineering, China University of Geoscience (Wuhan),

Lumo Road 388 Wuhan, Hubei, 430074, China

Tel: (86) 551 63606446;

Email address: hlh@ustc.edu.cn;

Postal address: State Key Laboratory of Fire Science, University of Science and Technology of China, Hefei, Anhui, 230026, China

July, 2016