

Accepted Manuscript

High Pressure Rheological Measurements of Gas Hydrate-in-Oil Slurries

Yahua Qin , Zachary M. Aman , Paul F. Pickering ,
Michael L. Johns , Eric F. May

PII: S0377-0257(17)30121-0
DOI: [10.1016/j.jnnfm.2017.08.006](https://doi.org/10.1016/j.jnnfm.2017.08.006)
Reference: JNNFM 3920



To appear in: *Journal of Non-Newtonian Fluid Mechanics*

Received date: 17 March 2017
Revised date: 18 August 2017
Accepted date: 26 August 2017

Please cite this article as: Yahua Qin , Zachary M. Aman , Paul F. Pickering , Michael L. Johns , Eric F. May , High Pressure Rheological Measurements of Gas Hydrate-in-Oil Slurries, *Journal of Non-Newtonian Fluid Mechanics* (2017), doi: [10.1016/j.jnnfm.2017.08.006](https://doi.org/10.1016/j.jnnfm.2017.08.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- High-pressure rheometer deployed to study in situ apparent viscosity of hydrate-oil slurries.
- Hydrate-oil slurries display significant shear thinning behavior.
- After annealing, the yield stress of hydrate-oil slurries varied between 3 and 25 Pa.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/4995529>

Download Persian Version:

<https://daneshyari.com/article/4995529>

[Daneshyari.com](https://daneshyari.com)