

High-yield secretory production of stable, active trypsin through engineering of the N-terminal peptide and self-degradation sites in *Pichia pastoris*

PII: S0960-8524(17)31311-1
 DOI: <http://dx.doi.org/10.1016/j.biortech.2017.08.006>
 Reference: BITE 18615

Received Date: 16 June 2017
Revised Date: 31 July 2017
Accepted Date: 2 August 2017

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



High-yield secretory production of stable, active trypsin through engineering of the N-terminal peptide and self-degradation sites in *Pichia pastoris*

Yunfeng Zhang^{a, b}, Hao Huang^{a, b}, Xinhui Yao^{a, b}, Guocheng Du^{b, c*}, Jian Chen^{a, b} & Zhen Kang^{a, b, c}

^aKey Laboratory of Industrial Biotechnology, Ministry of Education, Jiangnan University, 1800 Lihu Road, Wuxi, Jiangsu 214122, China

^bSynergetic Innovation Center of Food Safety and Nutrition, 1800 Lihu Road, Wuxi, Jiangsu 214122, China

^cThe Key Laboratory of Carbohydrate Chemistry and Biotechnology, Ministry of Education, School of Biotechnology, Jiangnan University, Wuxi 214122, China

*Correspondence and requests for materials should be addressed to G.C.D. (gcd@jiangnan.edu.cn).

Running title: High-level production of auto-active SGT in *Pichia pastoris*

Download English Version:

<https://daneshyari.com/en/article/4996626>

Download Persian Version:

<https://daneshyari.com/article/4996626>

[Daneshyari.com](https://daneshyari.com)