## Accepted Manuscript

Title: Effect of flap installation on improving the homogeneity of the mixture in an induced-charge electrokinetic micro-mixer

Authors: Zeynab Kazemi, Saman Rashidi, Javad Abolfazli

Esfahani

PII: S0255-2701(17)30199-X

DOI: http://dx.doi.org/10.1016/j.cep.2017.08.015

Reference: CEP 7061

To appear in: Chemical Engineering and Processing

Received date: 1-3-2017 Revised date: 20-7-2017 Accepted date: 27-8-2017

Please cite this article as: Zeynab Kazemi, Saman Rashidi, Javad Abolfazli Esfahani, Effect of flap installation on improving the homogeneity of the mixture in an induced-charge electrokinetic micro-mixer, Chemical Engineering and Processinghttp://dx.doi.org/10.1016/j.cep.2017.08.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## ACCEPTED MANUSCRIPT

# Effect of flap installation on improving the homogeneity of the mixture in an induced-charge electrokinetic micro-mixer

Zeynab Kazemi<sup>a</sup>, Saman Rashidi<sup>b</sup>, Javad Abolfazli Esfahani<sup>a\*,1</sup>

<sup>a</sup>Department of Mechanical Engineering, Ferdowsi University of Mashhad, Mashhad 91775-1111, Iran <sup>b</sup>Department of Mechanical Engineering, Semnan Branch, Islamic Azad University, Semnan, Iran

<sup>1</sup>Corresponding author: S. Rashidi, Email: <u>samanrashidi3983@gmail.com</u>

# Graphical abstract Without mounting the flap

With mounting a non-conductive flap

### Download English Version:

## https://daneshyari.com/en/article/4998177

Download Persian Version:

https://daneshyari.com/article/4998177

<u>Daneshyari.com</u>