

Accepted Manuscript

A Theoretical and Experimental Disturbance Analysis in a Product of Inertia Measurement System

Vahid Fakhari, Saeed Shokrollahi

PII: S0263-2241(17)30283-X
DOI: <http://dx.doi.org/10.1016/j.measurement.2017.05.005>
Reference: MEASUR 4731

To appear in: *Measurement*

Received Date: 2 December 2016
Revised Date: 29 April 2017
Accepted Date: 2 May 2017



Please cite this article as: V. Fakhari, S. Shokrollahi, A Theoretical and Experimental Disturbance Analysis in a Product of Inertia Measurement System, *Measurement* (2017), doi: <http://dx.doi.org/10.1016/j.measurement.2017.05.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A Theoretical and Experimental Disturbance Analysis in a Product of Inertia Measurement System

Vahid Fakhari ¹, Saeed Shokrollahi ^{2,*}

¹ Faculty of Mechanical and Energy Engineering, Shahid Beheshti University, A.C., Shahid Abbaspour Blvd., 16589-53571, Tehran, Iran, Email: v_fakhari@sbu.ac.ir

² Department of Aerospace Engineering, Malek Ashtar University of Technology, Tehran, Iran, Email: s_shokrollahi@mut.ac.ir

Abstract

In this research, disturbances in a product of inertia measurement system (POI-MS) are investigated theoretically and experimentally. These disturbances mainly originate from some various mechanical or electrical sources including fluctuations of transmission system (belt-pulley mechanism oscillation), electro-motor non-continuous power generation (electro-motor speed fluctuation) and also misalignment of the rotor system (unbalancing). Knowing sensitivity of the measurement system performance to the mentioned factors will help the designer to eliminate disturbances and increase accuracy of the system. In this study, at first, disturbances in the measured transmitted force of POI-MS is investigated by performing some experiments. In order to reduce time and cost, more disturbance analyses are performed via simulations. In this regard, a dynamic model of POI-MS is developed in MSc. Adams software. This model includes nonlinear stiffness of the air bearings and flexibilities of the belt-pulley system. Then, effect of possible disturbance sources including belt flexibilities, speed fluctuations of electro-motor and unbalances in rotating parts on the performance of the POI-MS is investigated. Finally, some solutions are presented to eliminate disturbances in POI-MS and improve its accuracy.

Keywords: Disturbance Analysis, Product of Inertia Measurement, Spin Balance Machine, MSc. Adams

Download English Version:

<https://daneshyari.com/en/article/5006540>

Download Persian Version:

<https://daneshyari.com/article/5006540>

[Daneshyari.com](https://daneshyari.com)