

## Accepted Manuscript

Title: Comparison of four electrical interfacing circuits in wind energy harvesting

Author: Liya Zhao Yaowen Yang

PII: S0924-4247(16)30550-7

DOI: <http://dx.doi.org/doi:10.1016/j.sna.2017.04.035>


Reference: SNA 10091

To appear in: *Sensors and Actuators A*

Received date: 23-9-2016

Revised date: 18-3-2017

Accepted date: 21-4-2017



Please cite this article as: L. Zhao, Y. Yang, Comparison of four electrical interfacing circuits in wind energy harvesting, *Sensors and Actuators: A Physical* (2017), <http://dx.doi.org/10.1016/j.sna.2017.04.035>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Highlights

- Four electrical interfaces in galloping-based wind energy harvesting are evaluated and compared.
- Analysis is validated by wind tunnel experiment and circuit simulation.
- SCE circuit is suitable for weak coupling and higher wind speed conditions.
- SSHI circuits suit weak and medium coupling conditions with low cut-in wind speed requirements.
- The standard circuit is recommended for strong coupling.

Accepted Manuscript

Download English Version:

<https://daneshyari.com/en/article/5008273>

Download Persian Version:

<https://daneshyari.com/article/5008273>

[Daneshyari.com](https://daneshyari.com)