

Accepted Manuscript

Title: Highly Improved Simultaneous Herbicides Determination in Water Samples by Differential Pulse Voltammetry using Boron-Doped Diamond Electrode and Solid Phase Extraction on Cross-Linked Poly(vinylimidazole)



Authors: Eduardo Henrique Duarte, Juliana Casarin, Elen Romão Sartori, César Ricardo Teixeira Tarley

PII: S0925-4005(17)31443-0
DOI: <http://dx.doi.org/doi:10.1016/j.snb.2017.08.021>
Reference: SNB 22888

To appear in: *Sensors and Actuators B*

Received date: 28-3-2017
Revised date: 24-7-2017
Accepted date: 2-8-2017

Please cite this article as: Eduardo Henrique Duarte, Juliana Casarin, Elen Romão Sartori, César Ricardo Teixeira Tarley, Highly Improved Simultaneous Herbicides Determination in Water Samples by Differential Pulse Voltammetry using Boron-Doped Diamond Electrode and Solid Phase Extraction on Cross-Linked Poly(vinylimidazole), *Sensors and Actuators B: Chemical* <http://dx.doi.org/10.1016/j.snb.2017.08.021>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highly Improved Simultaneous Herbicides Determination in Water Samples by Differential Pulse Voltammetry using Boron-Doped Diamond Electrode and Solid Phase Extraction on Cross-Linked Poly(vinylimidazole)


Eduardo Henrique Duarte^a, Juliana Casarin^a, Elen Romão Sartori^a, César Ricardo Teixeira Tarley^{a,b*}

^aUniversidade Estadual de Londrina (UEL), Departamento de Química, Centro de Ciências Exatas, Rodovia Celso Garcia Cid, PR 445 Km 380, CEP 86050-482, Londrina-PR, Brasil.

^bInstituto Nacional de Ciência e Tecnologia (INCT) de Bioanalítica, Universidade Estadual de Campinas (UNICAMP), Instituto de Química, Departamento de Química Analítica, Cidade Universitária Zeferino Vaz s/n, CEP 13083-970, Campinas – SP, Brasil.

*e-mail: ctarleyquim@yahoo.com.br

Graphical Abstract



Highlights

- For the first time the electrochemical determination of DI, 2,4-D and TB in water samples through association of SPE procedure with a cathodically pretreated boron-doped diamond electrode (BDDE) is described.

Download English Version:

<https://daneshyari.com/en/article/5008604>

Download Persian Version:

<https://daneshyari.com/article/5008604>

[Daneshyari.com](https://daneshyari.com)