

Accepted Manuscript

Title: Range of potential and electrolyte concentration for increase in electroosmotic flow contribution with channel diameter/width in nanochannels

Author: <ce:author id="aut0005" biographyid="vt0005" author-id="S0925400516321050-6187c9cfa9e81c25ee175c5b41f74c7a"> Kunwar Pal Singha



PII: S0925-4005(16)32105-0
DOI: <http://dx.doi.org/doi:10.1016/j.snb.2016.12.134>
Reference: SNB 21508

To appear in: *Sensors and Actuators B*

Received date: 1-9-2016
Revised date: 24-12-2016
Accepted date: 28-12-2016

Please cite this article as: Kunwar Pal Singha, Range of potential and electrolyte concentration for increase in electroosmotic flow contribution with channel diameter/width in nanochannels, *Sensors and Actuators B: Chemical* <http://dx.doi.org/10.1016/j.snb.2016.12.134>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Range of potential and electrolyte concentration for increase in electroosmotic flow contribution with channel diameter/width in nanochannels

Kunwar Pal Singh ^{a)}

*Department of Physics, Shri Venkateshwara University, Gajraula, Amroha, Uttar Pradesh
244236, India
Singh Simutech Pvt. Ltd., Bharatpur, Rajasthan, 321201, India*

^{a)} E-mail address: k_psingh@yahoo.com

Download English Version:

<https://daneshyari.com/en/article/5010011>

Download Persian Version:

<https://daneshyari.com/article/5010011>

[Daneshyari.com](https://daneshyari.com)