www.elsevier.com/locate/ijadhadh

ROLE OF DENTIN CROSS-LINKING AGENTS IN OPTIMIZING DENTIN BOND DURABILITY

M. Abunawareg, D.A. Abuelenain, D. Elkassas, T. Abu Haimed, A. Al-Dharrab, A. Zidan, A.H. Hassan, D. Pashley

PII: S0143-7496(17)30111-2
DOI: http://dx.doi.org/10.1016/j.ijadhadh.2017.06.009
Reference: JAAD2022

To appear in: *International Journal of Adhesion and Adhesives*

Received date: 22 October 2016
Accepted date: 22 March 2017

Cite this article as: M. Abunawareg, D.A. Abuelenain, D. Elkassas, T. Abu Haimed, A. Al-Dharrab, A. Zidan, A.H. Hassan and D. Pashley, ROLE OF DENTIN CROSS-LINKING AGENTS IN OPTIMIZING DENTIN BOND DURABILITY, *International Journal of Adhesion and Adhesives* http://dx.doi.org/10.1016/j.ijadhadh.2017.06.009

ROLE OF DENTIN CROSS-LINKING AGENTS IN OPTIMIZING DENTIN BOND DURABILITY

M. Abunawareg[a,e], D. A. Abuelenain[a,*], D. Elkassas[b], T. Abu Haimed[a], A. Al-Dharrab[a], A. Zidan[c,d], A. H. Hassan[a], D. Pashley[f]

[a]King Abdulaziz University Faculty of Dentistry, Jeddah, Saudi Arabia

[b]Faculty of Oral and Dental Medicine, Misr International University, Cairo, Egypt

[c]Faculty of Dentistry, Umm Alqura University, Mekkah, Saudi Arabia

[d]Faculty of Dentistry, October University for Modern Sciences and Arts (MSA), Cairo , Egypt

[e]Faculty of Oral and Dental Medicine, Cairo University, Cairo, Egypt

[f]The Dental College of Georgia at Augusta University, Augusta, Georgia, United States

dabualenain@kau.edu.sa

daenain@gmail.com

***Corresponding author:** Associate Prof. Dalia A Abuelenain Division of Biomaterials, Operative Dentistry Department, Faculty of Dentistry, King Abdulaziz University, Jeddah, Saudi Arabia P.O. Box: 14785 Zip Code: 21343. Mobile no.: 00966 505679543

1. Introduction

In the current decade, adhesive dentistry and resin composite restorations have replaced amalgam as a preferred posterior restorative material. However, the authors of recent systematic reviews [1–3] have reported lower longevity and more replacements in resin composite restorations, compared with amalgam restorations. The main cause