

Accepted Manuscript

Mixed-mode fatigue crack growth analysis using peridynamic approach

Jeehyun Jung, Jongwon Seok

PII: S0142-1123(17)30258-X

DOI: <http://dx.doi.org/10.1016/j.ijfatigue.2017.06.008>

Reference: JIJF 4364

To appear in: *International Journal of Fatigue*

Received Date: 24 January 2017

Revised Date: 3 May 2017

Accepted Date: 5 June 2017



Please cite this article as: Jung, J., Seok, J., Mixed-mode fatigue crack growth analysis using peridynamic approach, *International Journal of Fatigue* (2017), doi: <http://dx.doi.org/10.1016/j.ijfatigue.2017.06.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Mixed-mode fatigue crack growth analysis using peridynamic approachJeehyun Jung^a and Jongwon Seok^{a,*}

^a School of Mechanical Engineering, College of Engineering, Chung-Ang University, 84 HeukSeok-Ro, DongJak-Gu, Seoul 156-756, Republic of Korea

*Corresponding Author

Tel: +82-2-820-5729; Fax: +82-2-3280-9982

E-mail address: seokj@cau.ac.kr (Jongwon Seok)

Download English Version:

<https://daneshyari.com/en/article/5014984>

Download Persian Version:

<https://daneshyari.com/article/5014984>

[Daneshyari.com](https://daneshyari.com)