

Accepted Manuscript

Maximum undeformed equivalent chip thickness for ductile-brittle transition of zirconia ceramics under different lubrication conditions

Min Yang, Changhe Li, Yanbin Zhang, Dongzhou Jia, Xianpeng Zhang, Yali Hou, Runze Li, Jun Wang



PII: S0890-6955(17)30080-9

DOI: [10.1016/j.ijmachtools.2017.06.003](https://doi.org/10.1016/j.ijmachtools.2017.06.003)

Reference: MTM 3267

To appear in: *International Journal of Machine Tools and Manufacture*

Received Date: 24 March 2017

Revised Date: 5 June 2017

Accepted Date: 12 June 2017

Please cite this article as: M. Yang, C. Li, Y. Zhang, D. Jia, X. Zhang, Y. Hou, R. Li, J. Wang, Maximum undeformed equivalent chip thickness for ductile-brittle transition of zirconia ceramics under different lubrication conditions, *International Journal of Machine Tools and Manufacture* (2017), doi: 10.1016/j.ijmachtools.2017.06.003.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Maximum undeformed equivalent chip thickness for ductile-brittle transition of zirconia ceramics under different lubrication conditions

Min Yang^a, Changhe Li^{a,*}, Yanbin Zhang^a, Dongzhou Jia^a, Xianpeng Zhang^a, Yali Hou^a, Runze Li^b,
Jun Wang^{c,*}

a. School of Mechanical Engineering, Qingdao University of Technological, Qingdao 266520;

b. Department of Biomedical Engineering, University of Southern California, Los Angeles, CA90089–1111;

c. School of Mechanical and Manufacturing Engineering, The University of New South Wales, Sydney, NSW 2052.

Corresponding author: School of Mechanical Engineering, Qingdao University of Technological, 266520 Qingdao, China.

E-mail address: sy_lichanghe@163.com (Changhe Li)

jun.wang@unsw.edu.au (Jun Wang)

Authorships:

Min Yang, School of Mechanical Engineering, Qingdao University of Technological, 266520 Qingdao, China,

E-mail address: yummy0lige@163.com;

Changhe Li, School of Mechanical Engineering, Qingdao University of Technological, 266520 Qingdao, China,

E-mail address: sy_lichanghe@163.com;

Yanbin Zhang, School of Mechanical Engineering, Qingdao University of Technological, 266520 Qingdao, China,

E-mail address: zhangyanbin1_qdlg@163.com;

Dongzhou Jia: School of Mechanical Engineering, Qingdao University of Technological, 266520 Qingdao, China,

E-mail address: jia_dongzhou@163.com;

Xianpeng Zhang: School of Mechanical Engineering, Qingdao University of Technological, 266520 Qingdao, China,

E-mail address: 18253299582@163.com;

Yali Hou, School of Mechanical Engineering, Qingdao University of Technological, 266520 Qingdao, China,

E-mail address: 510601951@qq.com;

Runze Li, Department of Biomedical Engineering, University of Southern California, CA90089–1111 Los Angeles, America,

E-mail address: runzeli@usc.edu;

Jun Wang, School of Mechanical and Manufacturing Engineering, The University of New South Wales, NSW2052 Sydney, Australia,

Email: jun.wang@unsw.edu.au.

Download English Version:

<https://daneshyari.com/en/article/5015696>

Download Persian Version:

<https://daneshyari.com/article/5015696>

[Daneshyari.com](https://daneshyari.com)