

Accepted Manuscript

Anisotropic ductile fracture criterion based on linear transformation

Yanshan Lou, Jeong Whan Yoon

PII: S0749-6419(17)30195-X

DOI: [10.1016/j.ijplas.2017.04.008](https://doi.org/10.1016/j.ijplas.2017.04.008)

Reference: INTPLA 2186

To appear in: *International Journal of Plasticity*

Received Date: 1 November 2016

Revised Date: 24 February 2017

Accepted Date: 11 April 2017

Please cite this article as: Lou, Y., Yoon, J.W., Anisotropic ductile fracture criterion based on linear transformation, *International Journal of Plasticity* (2017), doi: 10.1016/j.ijplas.2017.04.008.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Anisotropic Ductile Fracture Criterion Based on Linear Transformation

Yanshan Lou (a), Jeong Whan Yoon (b, a,*)

(a) Institute for Frontier Materials, Deakin University, 75 Pigdons Road, Waurin Ponds,
VIC 3216, Australia

Email: y.lou@deakin.edu.au

(b) Department of Mechanical Engineering, Korea Advanced Institute of Science and
Technology (KAIST), 291 Daehak-ro, Yuseong-gu, Daejeon, 305-701, Republic of
Korea

Email: j.yoon@kaist.ac.kr / j.yoon@deakin.edu.au

Download English Version:

<https://daneshyari.com/en/article/5016681>

Download Persian Version:

<https://daneshyari.com/article/5016681>

[Daneshyari.com](https://daneshyari.com)