Accepted Manuscript

Title: Selective Laser Melting of AlSi10Mg: Effects of scan direction, part placement and inert gas flow velocity on tensile strength

Author: Ahmad Bin Anwar Quang-Cuong Pham

PII: S0924-0136(16)30364-8

DOI: http://dx.doi.org/doi:10.1016/j.jmatprotec.2016.10.015

Reference: PROTEC 14991

To appear in: Journal of Materials Processing Technology

Received date: 6-6-2016 Revised date: 13-10-2016 Accepted date: 14-10-2016

Please cite this article as: Ahmad Bin Anwar, Quang-Cuong Pham, Selective Laser Melting of AlSi10Mg: Effects of scan direction, part placement and inert gas flow velocity on tensile strength, <![CDATA[Journal of Materials Processing Tech.]]> (2016), http://dx.doi.org/10.1016/j.jmatprotec.2016.10.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.






Figure 1: Schematic of laser beam scanning. A: scanning in the same direction as the flow. B: scanning against the direction of the flow, which might have caused more spattered powder.

Download English Version:

https://daneshyari.com/en/article/5017866

Download Persian Version:

https://daneshyari.com/article/5017866

<u>Daneshyari.com</u>