

## Accepted Manuscript

Title: Tensile flow behavior of AZ31 magnesium alloy processed by severe plastic deformation and post-annealing at moderately high temperatures

Authors: Kai Soon Fong, Danno Atsushi, Ming Jen Tan, Beng Wah Chua



PII: S0924-0136(17)30119-X  
DOI: <http://dx.doi.org/doi:10.1016/j.jmatprotec.2017.03.025>  
Reference: PROTEC 15168

To appear in: *Journal of Materials Processing Technology*

Received date: 2-2-2017  
Revised date: 21-3-2017  
Accepted date: 24-3-2017

Please cite this article as: Fong, Kai Soon, Atsushi, Danno, Tan, Ming Jen, Chua, Beng Wah, Tensile flow behavior of AZ31 magnesium alloy processed by severe plastic deformation and post-annealing at moderately high temperatures. *Journal of Materials Processing Technology* <http://dx.doi.org/10.1016/j.jmatprotec.2017.03.025>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Tensile flow behavior of AZ31 magnesium alloy processed by severe plastic deformation and post-annealing at moderately high temperatures

**Kai Soon, Fong<sup>1</sup>**

Singapore Institute of Manufacturing Technology  
71 Nanyang Drive, Singapore 638075  
ksfong@SIMTech.a-star.edu.sg

**Danno, Atsushi**

Singapore Institute of Manufacturing Technology  
71 Nanyang Drive, Singapore 638075  
danno@SIMTech.a-star.edu.sg

**Ming Jen, Tan**

School of Mechanical and Aerospace Engineering,  
Nanyang Technological University  
50 Nanyang Avenue, Singapore 639798  
mmjtan@ntu.edu.sg

**Beng Wah, Chua**

Singapore Institute of Manufacturing Technology  
71 Nanyang Drive, Singapore 638075  
bwchua@simtech.a-star.edu.sg

## ABSTRACT

The uniaxial tensile flow behavior of an AZ31 magnesium alloy was examined after processing by severe plastic deformation (SPD) and short time post-annealing.

---

<sup>1</sup> ksfong@SIMTech.a-star.edu.sg

Download English Version:

<https://daneshyari.com/en/article/5018031>

Download Persian Version:

<https://daneshyari.com/article/5018031>

[Daneshyari.com](https://daneshyari.com)