Accepted Manuscript

THE DEPENDENCE OF THE TAYLOR-QUINNEY COEFFICIENT ON THE DYNAMIC LOADING MODE

D. Rittel, LH Zhang, S. Osovski

 PII:
 S0022-5096(17)30170-9

 DOI:
 10.1016/j.jmps.2017.06.016

 Reference:
 MPS 3142

To appear in: Journal of the Mechanics and Physics of Solids

Received date:	2 March 2017
Revised date:	27 June 2017
Accepted date:	30 June 2017

Please cite this article as: D. Rittel, LH Zhang, S. Osovski, THE DEPENDENCE OF THE TAYLOR-QUINNEY COEFFICIENT ON THE DYNAMIC LOADING MODE, *Journal of the Mechanics and Physics of Solids* (2017), doi: 10.1016/j.jmps.2017.06.016

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- The Taylor-Quinney coefficient (TQC) is measured for 7 metals and alloys.
- Tension, compression and dominant shear are applied to each material.
- A large variability of the TQC is observed with values different from 0.9.
- With the exception of CP-Ti, identical TQC's are measured in tension, compression and shear.
- For CP-Ti, twinning operates mostly in compression and shear, leading to different TQC's.
- Deformation micromechanisms determine the TQC.

Download English Version:

https://daneshyari.com/en/article/5018168

Download Persian Version:

https://daneshyari.com/article/5018168

Daneshyari.com