

Author's Accepted Manuscript

Elastic properties and strain-to-crack-initiation of calcium phosphate bone cements: revelations of a high-resolution measurement technique

Ingrid Ajaxon, Alice Acciaioli, Giacomo Lionello, Maria-Pau Ginebra, Caroline Öhman-Mägi, Massimiliano Baleani, Cecilia Persson



PII: S1751-6161(17)30261-8
DOI: <http://dx.doi.org/10.1016/j.jmbbm.2017.06.023>
Reference: JMBBM2383

To appear in: *Journal of the Mechanical Behavior of Biomedical Materials*

Received date: 31 March 2017
Revised date: 16 June 2017
Accepted date: 20 June 2017

Cite this article as: Ingrid Ajaxon, Alice Acciaioli, Giacomo Lionello, Maria-Pau Ginebra, Caroline Öhman-Mägi, Massimiliano Baleani and Cecilia Persson Elastic properties and strain-to-crack-initiation of calcium phosphate bone cements: revelations of a high-resolution measurement technique, *Journal of the Mechanical Behavior of Biomedical Materials* <http://dx.doi.org/10.1016/j.jmbbm.2017.06.023>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

Elastic properties and strain-to-crack-initiation of calcium phosphate bone cements: revelations of a high-resolution measurement technique

Ingrid Ajaxon^{a,1}, Alice Acciaioli^{b,1}, Giacomo Lionello^b, Maria-Pau Ginebra^c, Caroline Öhman-Mägi^a, Massimiliano Baleani^b and Cecilia Persson^{a,*}

^aMaterials in Medicine Group, Division of Applied Materials Science, Department of Engineering Sciences, Uppsala University, Box 534, 751 21 Uppsala, Sweden

^bIstituto Ortopedico Rizzoli, Laboratorio di Tecnologia Medica, Via di Barbiano 1/10, 40136 Bologna, Italy

^cBiomaterials, Biomechanics and Tissue Engineering Group, Dept. of Materials Science and Metallurgy, Technical University of Catalonia (UPC), Av. Eduard Maristany 10-14, 08019 Barcelona, Spain

*Corresponding author: Postal address: The Ångström Laboratory, Department of Engineering Sciences, Division of Applied Materials Science, Box 534, SE-751 21 Uppsala, Sweden. Telephone: +46(0)184717911. E-mail: cecilia.persson@angstrom.uu.se

Abstract

Calcium phosphate cements (CPCs) should ideally have mechanical properties similar to those of the bone tissue the material is used to replace or repair. Usually, the compressive strength of the CPCs is reported and, more rarely, the elastic modulus.

¹ These authors contributed equally to the work.

Download English Version:

<https://daneshyari.com/en/article/5020435>

Download Persian Version:

<https://daneshyari.com/article/5020435>

[Daneshyari.com](https://daneshyari.com)