


Accepted Manuscript

Fire-resistant and highly electrically conductive silk fabrics fabricated with reduced graphene oxide via dry-coating

Yimin Ji, Yuzhou Li, Guoqiang Chen, Tieling Xing

PII: S0264-1275(17)30752-9
DOI: doi: [10.1016/j.matdes.2017.08.006](https://doi.org/10.1016/j.matdes.2017.08.006)
Reference: JMADE 3265
To appear in: *Materials & Design*
Received date: 17 May 2017
Revised date: 2 August 2017
Accepted date: 3 August 2017



Please cite this article as: Yimin Ji, Yuzhou Li, Guoqiang Chen, Tieling Xing , Fire-resistant and highly electrically conductive silk fabrics fabricated with reduced graphene oxide via dry-coating, *Materials & Design* (2017), doi: [10.1016/j.matdes.2017.08.006](https://doi.org/10.1016/j.matdes.2017.08.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Fire-resistant and highly electrically conductive silk fabrics
fabricated with reduced graphene oxide via dry-coating**

Yimin Ji, Yuzhou Li, Guoqiang Chen, and Tieling Xing*

*National Engineering Laboratory for Modern Silk, College of Textile and Clothing
Engineering, Soochow University, Suzhou 215123, PR China*

Abstract

Large-scale and functional silk fabrics were prepared by depositing synthetic graphene oxide (GO) hydrosol onto fabrics via an environmentally friendly “dry-coating” method and subsequently reduced in L-ascorbic acid solution. Through this modification method, the reduced GO (rGO) sheets deposited uniformly on the silk fabric surface were firmly combined with fibres. Up to 19.5 wt% rGO could be deposited relative to the fabric weight. The morphology and structure of prepared rGO-coated silk fabric were characterised by scanning electron microscopy, X-ray diffraction, and Raman spectrometry. In comparison with pristine silk fabric, the modified silk fabric exhibited improved fire resistance and smoke suppression properties. The sheet resistance of rGO-coated silk fabric decreased to 0.13 k Ω /sq. Washing test indicated that the rGO-coated silk fabrics prepared had good durability for common use. The functional silk fabric deposited with 19.5 wt% rGO was

* Corresponding author.

E-mail address: xingtieling@suda.edu.cn (T. Xing).

Download English Version:

<https://daneshyari.com/en/article/5023252>

Download Persian Version:

<https://daneshyari.com/article/5023252>

[Daneshyari.com](https://daneshyari.com)