

Author's Accepted Manuscript

ESTIMATION OF THE CENTER OF ROTATION USING WEARABLE MAGNETO-INERTIAL SENSORS

M. Crabolu, D. Pani, L. Raffo, A. Cereatti



PII: S0021-9290(16)31225-8
DOI: <http://dx.doi.org/10.1016/j.jbiomech.2016.11.046>
Reference: BM8007

To appear in: *Journal of Biomechanics*
Accepted date: 5 November 2016

Cite this article as: M. Crabolu, D. Pani, L. Raffo and A. Cereatti
ESTIMATION OF THE CENTER OF ROTATION USING WEARABLE
MAGNETO-INERTIAL SENSORS, *Journal of Biomechanics*
<http://dx.doi.org/10.1016/j.jbiomech.2016.11.046>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ESTIMATION OF THE CENTER OF ROTATION USING WEARABLE MAGNETO-INERTIAL SENSORS

M. Crabolu¹, D. Pani¹, L. Raffo¹, A. Cereatti^{2,3,4}

¹Department of Electrical and Electronic Engineering, University of Cagliari, Italy.

²Department POLCOMING, University of Sassari, Italy

³Interuniversity Centre of Bioengineering of the Human Neuromusculoskeletal System, Sassari, Italy

⁴Department of Electronics and Telecommunications, Politecnico di Torino, Italy

Corresponding Author:

Michele Crabolu

Department of Electrical and Electronic Engineering, University of Cagliari, Italy

Piazza d'Armi

09123 Cagliari, Italy

Phone: +39 0706755778

Fax: +39 0706755782

E-mail: michele.crabolu@diee.unica.it

Keywords: Human movement; Centre of rotation; Magneto-inertial sensing; Accelerometers; Gyroscope; Wearable devices

Word count: 3627.

Download English Version:

<https://daneshyari.com/en/article/5032294>

Download Persian Version:

<https://daneshyari.com/article/5032294>

[Daneshyari.com](https://daneshyari.com)