

## Accepted Manuscript

Topology of growing networks accelerated by intermediary process

Nobutoshi Ikeda

PII: S0378-4371(17)30437-5

DOI: <http://dx.doi.org/10.1016/j.physa.2017.04.123>

Reference: PHYSYA 18225

To appear in: *Physica A*

Received date: 23 December 2016

Revised date: 13 April 2017



Please cite this article as: N. Ikeda, Topology of growing networks accelerated by intermediary process, *Physica A* (2017), <http://dx.doi.org/10.1016/j.physa.2017.04.123>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

5- Highlights

- > Intermediary process induces the scale-free property in accelerating networks.
- > Accelerating growth plays an essential role in structural formation of the network.
- > We discovered an internal factor that determines the value of the power-law exponent.
- > We found specific functional forms that describe the changes in degrees with time.

Download English Version:

<https://daneshyari.com/en/article/5102715>

Download Persian Version:

<https://daneshyari.com/article/5102715>

[Daneshyari.com](https://daneshyari.com)