

Accepted Manuscript

SIS epidemic spreading with correlated heterogeneous infection rates

Bo Qu, Huijuan Wang

PII: S0378-4371(16)31057-3

DOI: <http://dx.doi.org/10.1016/j.physa.2016.12.077>

Reference: PHYSA 17879

To appear in: *Physica A*

Received date: 26 August 2016

Revised date: 29 November 2016

Please cite this article as: B. Qu, H. Wang, SIS epidemic spreading with correlated heterogeneous infection rates, *Physica A* (2016), <http://dx.doi.org/10.1016/j.physa.2016.12.077>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



- We propose a correlated heterogeneous Susceptible-Infected-Susceptible model.
- The infection rates are correlated with nodal degrees.
- We investigate the influence of the correlation on the epidemic spreading.
- The negative correlation benefits the spreading with the small recovery rate.
- The positive correlation helps the spreading if the recovery rate is large enough.

Download English Version:

<https://daneshyari.com/en/article/5103153>

Download Persian Version:

<https://daneshyari.com/article/5103153>

[Daneshyari.com](https://daneshyari.com)