

Accepted Manuscript

Title: Portable near-infrared instruments: application for quality control of polymorphs in pharmaceutical raw materials and calibration transfer

Author: Vitor Hugo da Silva Jailson José da Silva Claudete Fernandes Pereira



PII: S0731-7085(16)30590-8
DOI: <http://dx.doi.org/doi:10.1016/j.jpba.2016.11.036>
Reference: PBA 10945

To appear in: *Journal of Pharmaceutical and Biomedical Analysis*

Received date: 12-9-2016
Revised date: 13-11-2016
Accepted date: 14-11-2016

Please cite this article as: Vitor Hugo da Silva, Jailson José da Silva, Claudete Fernandes Pereira, Portable near-infrared instruments: application for quality control of polymorphs in pharmaceutical raw materials and calibration transfer, *Journal of Pharmaceutical and Biomedical Analysis* <http://dx.doi.org/10.1016/j.jpba.2016.11.036>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Portable near-infrared instruments: application for quality control of polymorphs in pharmaceutical raw materials and calibration transfer

Vitor Hugo da Silva^a, Jailson José da Silva^b, Claudete Fernandes Pereira^{a*}

^aDepartamento de Química Fundamental, Universidade Federal de Pernambuco, Recife, PE, 50740-560

^bDepartamento de Engenharia Química, Universidade Federal de Pernambuco, Recife, PE, 50.740-521, Brazil

*Corresponding author

E-mail: clauimp@gmail.com or claudete.fernandes@ufpe.br

Tel: (+55)-81-2126-7417

Fax: (+55)-81-2126-8442

Download English Version:

<https://daneshyari.com/en/article/5138356>

Download Persian Version:

<https://daneshyari.com/article/5138356>

[Daneshyari.com](https://daneshyari.com)