


## Accepted Manuscript

Title: Comparison of the effects of major fatty acids present in the Mediterranean diet (oleic acid, docosahexaenoic acid) and in hydrogenated oils (elaidic acid) on 7-ketocholesterol-induced oxiaoptophagy in microglial BV-2 cells



Authors: Meryam Debbabi, Amira Zarrouk, Maryem Bezine, Wiem Meddeb, Thomas Nury, Asmaa Badreddine, El Mostafa Karym, Randa Sghaier, Lionel Bretillon, Stéphane Guyot, Mohammad Samadi, Mustapha Cherkaoui-Malki, Boubker Nasser, Mondher Mejri, Sofien Ben-Hammou, Mohamed Hammami, Gérard Lizard

PII: S0009-3084(16)30188-8  
DOI: <http://dx.doi.org/doi:10.1016/j.chemphyslip.2017.04.002>  
Reference: CPL 4541

To appear in: *Chemistry and Physics of Lipids*

Received date: 22-11-2016  
Revised date: 5-4-2017

Please cite this article as: Debbabi, Meryam, Zarrouk, Amira, Bezine, Maryem, Meddeb, Wiem, Nury, Thomas, Badreddine, Asmaa, Karym, El Mostafa, Sghaier, Randa, Bretillon, Lionel, Guyot, Stéphane, Samadi, Mohammad, Cherkaoui-Malki, Mustapha, Nasser, Boubker, Mejri, Mondher, Ben-Hammou, Sofien, Hammami, Mohamed, Lizard, Gérard, Comparison of the effects of major fatty acids present in the Mediterranean diet (oleic acid, docosahexaenoic acid) and in hydrogenated oils (elaidic acid) on 7-ketocholesterol-induced oxiaoptophagy in microglial BV-2 cells. *Chemistry and Physics of Lipids* <http://dx.doi.org/10.1016/j.chemphyslip.2017.04.002>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Comparison of the effects of major fatty acids present in the Mediterranean diet (oleic acid, docosahexaenoic acid) and in hydrogenated oils (elaidic acid) on 7-ketocholesterol-induced oxiaoptophagy in microglial BV-2 cells**

Meryam Debbabi <sup>a,b</sup>, Amira Zarrouk <sup>a,b,c</sup>, Maryem Bezine <sup>a,d</sup>, Wiem Meddeb <sup>a,e</sup>, Thomas Nury <sup>a</sup>, Asmaa Badreddine <sup>a,f</sup>, El Mostafa Karym <sup>a,f</sup>, Randa Sghaier <sup>a,b,c</sup>, Lionel Bretillon <sup>g</sup>, Stéphane Guyot <sup>h</sup>, Mohammad Samadi <sup>i</sup>, Mustapha Cherkaoui-Malki <sup>a</sup>, Boubker Nasser <sup>f</sup>, Mondher Mejri <sup>e</sup>, Sofien Ben-Hammou <sup>j</sup>, Mohamed Hammami <sup>b</sup>, Gérard Lizard <sup>a\*</sup>

<sup>a</sup> Univ. Bourgogne Franche-Comté, Team ‘Biochemistry of the peroxisome, inflammation and lipid metabolism’ EA 7270 / Inserm, Dijon, France;

<sup>b</sup> Univ. Monastir, LR12ES05, Lab-NAFS ‘Nutrition - Functional Food & Vascular Health’, Monastir, Tunisia;

<sup>c</sup> Univ. Sousse, Faculty of Medicine, Sousse, Tunisia;

<sup>d</sup> Univ. Tunis El Manar – Pasteur Institut, Lab. ‘Venoms & Therapeutic Biomolecules’, Tunis, Tunisia;

<sup>e</sup> Univ. Carthage, Faculty of Sciences, Bizerte, Tunisia;

<sup>f</sup> Lab. of ‘Biochemistry of Neuroscience’, Univ. Hassan I, Settat, Morocco;

<sup>g</sup> Eye & Nutrition Research Group, CSGA, UMR 1324 INRA, 6265 CNRS, Univ. Bourgogne Franche Comté, Dijon, France;

<sup>h</sup> UMR PAM, AgroSup, Dijon, France;

<sup>i</sup> LCPMC-A2, ICPM, Département de Chimie, Université de Lorraine, Metz, France;

<sup>j</sup> Department of Neurology, University Hospital Sahloul, 4000 Sousse, Tunisia.

*\*Corresponding author (Dr Gérard Lizard) at:*

Faculté des Sciences Gabriel,

EA7270 / Bio-PeroXIL

6, Bd Gabriel; 21 000 Dijon, FRANCE

Tel: +33 380 39 62 56

Fax: + 33 380 39 62 50

E.mail: gerard.lizard@u-bourgogne.fr

Download English Version:

<https://daneshyari.com/en/article/5142607>

Download Persian Version:

<https://daneshyari.com/article/5142607>

[Daneshyari.com](https://daneshyari.com)