

Ultrasonic irradiation of low intensity with a mode of sweeping frequency enhances the membrane permeability and cell growth rate of *Candida tropicalis*

Guoping Huang, Yingxiu Tang, Ling Sun, Huan Xing, Haile Ma, Ronghai He

PII: S1350-4177(17)30062-7
DOI: http://dx.doi.org/10.1016/j.ultsonch.2017.02.010
Reference: ULTSON 3547

To appear in: *Ultrasonics Sonochemistry*

Received Date: 11 November 2016
Revised Date: 9 February 2017
Accepted Date: 10 February 2017

Please cite this article as: G. Huang, Y. Tang, L. Sun, H. Xing, H. Ma, R. He, Ultrasonic irradiation of low intensity with a mode of sweeping frequency enhances the membrane permeability and cell growth rate of *Candida tropicalis*, *Ultrasonics Sonochemistry* (2017), doi: http://dx.doi.org/10.1016/j.ultsonch.2017.02.010

Full title: Ultrasonic irradiation of low intensity with a mode of sweeping frequency enhances the membrane permeability and cell growth rate of *Candida tropicalis*

Authors: Guoping Huang [1], Yingxiu Tang [2], Ling Sun [2], Huan Xing [2], Haile Ma [2], Ronghai He [2] †

Affiliations:

1 Institute of Life Sciences, Jiangsu University, Zhenjiang, Jiangsu, P. R China 212013.

2 School of Food & Biological Engineering, Jiangsu University, Zhenjiang, Jiangsu, P. R China 212013.

† Corresponding author E-mail: heronghai1971@126.com

Correspondence to: Ronghai He, School of Food & Biological Engineering, Jiangsu University, Xuefu Road, Zhenjiang, Jiangsu, P. R China 212013.

Short title: Ultrasonic irradiation of low intensity enhances the cell growth rate

Key words: Ultrasound; *Candida tropicalis*; Cell growth; Intracellular calcium ions concentration; mRNA expression profiles

The authors declare no conflict of interest.