

Accepted Manuscript

Mixed-ligand ruthenium(II) complexes capable of hydrogen-bonding interactions with DNA: DNA binding, nuclease activity, cytotoxicity, and topoisomerase inhibition

Naho Iizuka, Misaki Nakai, Yasuo Nakabayashi

PII: S0277-5387(17)30508-9
DOI: <http://dx.doi.org/10.1016/j.poly.2017.07.025>
Reference: POLY 12761

To appear in: *Polyhedron*

Received Date: 5 May 2017
Revised Date: 20 July 2017
Accepted Date: 24 July 2017

Please cite this article as: N. Iizuka, M. Nakai, Y. Nakabayashi, Mixed-ligand ruthenium(II) complexes capable of hydrogen-bonding interactions with DNA: DNA binding, nuclease activity, cytotoxicity, and topoisomerase inhibition, *Polyhedron* (2017), doi: <http://dx.doi.org/10.1016/j.poly.2017.07.025>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



For submission to *Polyhedron*

Regular Paper

Mixed-ligand ruthenium(II) complexes capable of hydrogen-bonding interactions with DNA: DNA binding, nuclease activity, cytotoxicity, and topoisomerase inhibition

Naho Iizuka, Misaki Nakai, Yasuo Nakabayashi*

Department of Chemistry and Materials Engineering, Kansai University, 3-3-35 Yamate-cho, Suita, Osaka 564-8680, Japan

*Corresponding author.

E-mail address: yasuo@kansai-u.ac.jp (Y. Nakabayashi).

Download English Version:

<https://daneshyari.com/en/article/5154071>

Download Persian Version:

<https://daneshyari.com/article/5154071>

[Daneshyari.com](https://daneshyari.com)