

Accepted Manuscript

Identification and Structure Activity Relationships of Quinoline Tertiary Alcohol Modulators of ROR γ t

David A. Kummer, Maxwell D. Cummings, Marta Abad, Joseph Barbay, Glenda Castro, Ronald Wolin, Kevin D. Kreutter, Umar Maharroof, Cynthia Milligan, Rachel Nishimura, Joan Pierce, Celine Schalk-Hihi, John Spurlino, Maud Urbanski, Hariharan Venkatesan, Aihua Wang, Craig Woods, Xiaohua Xue, James P. Edwards, Anne M. Fourie, Kristi Leonard

PII: S0960-894X(17)30163-4
DOI: <http://dx.doi.org/10.1016/j.bmcl.2017.02.044>
Reference: BMCL 24716

To appear in: *Bioorganic & Medicinal Chemistry Letters*

Received Date: 17 January 2017
Revised Date: 10 February 2017
Accepted Date: 14 February 2017

Please cite this article as: Kummer, D.A., Cummings, M.D., Abad, M., Barbay, J., Castro, G., Wolin, R., Kreutter, K.D., Maharroof, U., Milligan, C., Nishimura, R., Pierce, J., Schalk-Hihi, C., Spurlino, J., Urbanski, M., Venkatesan, H., Wang, A., Woods, C., Xue, X., Edwards, J.P., Fourie, A.M., Leonard, K., Identification and Structure Activity Relationships of Quinoline Tertiary Alcohol Modulators of ROR γ t, *Bioorganic & Medicinal Chemistry Letters* (2017), doi: <http://dx.doi.org/10.1016/j.bmcl.2017.02.044>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Identification and Structure Activity Relationships of Quinoline Tertiary Alcohol Modulators of ROR γ t

Authors: David A. Kummer^{*,a}, Maxwell D. Cummings^{*,b}, Marta Abad^b, Joseph Barbay^c, Glenda Castro^a, Ronald Wolin^a, Kevin D. Kreutter^c, Umar Maharroof^c, Cynthia Milligan^b, Rachel Nishimura^a, Joan Pierce^c, Celine Schalk-Hihi^b, John Spurlino^b, Maud Urbanski^c, Hariharan Venkatesan^a, Aihua Wang^c, Craig Woods^a, Xiaohua Xue^a, James P. Edwards^a, Anne M. Fourie^a, Kristi Leonard^{*,c}

Corresponding authors: mcummin1@its.jnj.com (M. Cummings), dkummer1@its.jnj.com (D. Kummer), kleonar1@its.jnj.com (K. Leonard).

Addresses:

^aDiscovery Immunology, Janssen Research and Development, 3210 Merryfield Row, San Diego, CA 92121

^bDiscovery Sciences, Janssen Research and Development, Welsh and McKean Roads, Spring House, PA 19477

^cDiscovery Immunology, Janssen Research and Development, Welsh and McKean Roads, Spring House, PA 19477

Keywords. ROR γ t, retinoic acid-related orphan nuclear receptor gamma t, agonist, neutral antagonist, inverse agonist, Th17, IL-17

Abstract. A high-throughput screen of the ligand binding domain of the nuclear receptor retinoic acid-related orphan receptor gamma t (ROR γ t) employing a thermal shift assay yielded a quinoline tertiary alcohol hit. Optimization of the 2-, 3- and 4-positions of the quinoline core using structure-activity relationships and structure-based drug design methods led to the

Download English Version:

<https://daneshyari.com/en/article/5156463>

Download Persian Version:

<https://daneshyari.com/article/5156463>

[Daneshyari.com](https://daneshyari.com)