

Title: Starch nanoparticles resulting from combination of dry heating under mildly acidic conditions and homogenization

Authors: Jong Hun Kim, Jiyeon Kim, Eun Young Park, Jong-Yea Kim

PII: S0144-8617(17)30317-X
DOI: http://dx.doi.org/doi:10.1016/j.carbpol.2017.03.061
Reference: CARP 12150

To appear in:

Received date: 19-1-2017
Revised date: 16-3-2017
Accepted date: 18-3-2017

Please cite this article as: Kim, Jong Hun., Kim, Jiyeon., Park, Eun Young., & Kim, Jong-Yea., Starch nanoparticles resulting from combination of dry heating under mildly acidic conditions and homogenization.*Carbohydrate Polymers* http://dx.doi.org/10.1016/j.carbpol.2017.03.061

Starch nanoparticles resulting from combination of dry heating under mildly acidic conditions and homogenization

Jong Hun Kim[b], Jiyeon Kim[a], Eun Young Park[c], Jong-Yea Kim[a]*

[a]Department of Food Science and Biotechnology, Kangwon National University, Chuncheon 24341, South Korea

[b]Research Institute of Agriculture and Life Sciences, College of Agriculture and Life Sciences, Seoul National University, Seoul 08826, South Korea

[c]Department of Biotechnology, College of Life Science and Biotechnology, Korea University, 5-1, Anam-dong, Sungbuk-ku, 02841, Seoul, South Korea

*Corresponding author:

E-mail address: jongkim@kangwon.ac.kr, Tel: 82-33-250-6455; Fax: 82-33-259-5565