Accepted Manuscript

Differential characterization using readily accessible NMR experiments of novel *N*-and O-alkylated quinolin-4-ol, 1,5-naphthyridin-4-ol and quinazolin-4-ol derivatives with antimycobacterial activity

Eleni Pitta, Olga Balabon, Maciej K. Rogacki, Jesús Gómez, Fraser Cunningham, Jurgen Joosens, Koen Augustyns, Pieter van der Veken, Robert Bates

PII: S0223-5234(16)30876-5

DOI: 10.1016/j.ejmech.2016.10.014

Reference: EJMECH 8979

To appear in: European Journal of Medicinal Chemistry

Received Date: 6 July 2016

Revised Date: 13 September 2016

Accepted Date: 7 October 2016

Please cite this article as: E. Pitta, O. Balabon, M.K. Rogacki, J. Gómez, F. Cunningham, J. Joosens, K. Augustyns, P. van der Veken, R. Bates, Differential characterization using readily accessible NMR experiments of novel *N*- and *O*-alkylated quinolin-4-ol, 1,5-naphthyridin-4-ol and quinazolin-4-ol derivatives with antimycobacterial activity, *European Journal of Medicinal Chemistry* (2016), doi: 10.1016/j.eimech.2016.10.014.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



GRAPHICAL ABSTRACT

Differential characterization using:

- 1. ¹³C-NMR chemical shifts 2. 2D HSQC/HMBC
- 3. 1D NOE

Download English Version:

https://daneshyari.com/en/article/5159067

Download Persian Version:

https://daneshyari.com/article/5159067

Daneshyari.com